

2025 Base Price & Option List

Purchaser	ORDER 2025		EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	769 000
DESTINATION		St Raphael, South of France	
NUMBER OF CABINS		3	
INTERIOR			
B9-1001	Upholstery Pack 1 – Faux Leather “Milk”	0	x
B9-1003	Upholstery Pack 2 – Faux Leather “Artesian”	0	
B9-1005	Upholstery Pack 3 – Sunbrella “Pebble”	271	
B9-1006	Upholstery Pack 4 – Sunbrella “Stone”	271	
B9-1007	Upholstery Pack 5 – Sunbrella “Dune”	271	
B9-10MM	Upholstery Pack 6 - Silvertex “Macadamia”	271	
B9-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	2 440	
B9-1016	Carpets in main saloon for optional coffee table. Excludes galley area. Cannot be taken with standard saloon table.	1 015	
B9-1301	Full length mirrors for 3-Cabin Layout (3)	1 224	
B9-1320	Extra storage locker in lieu of vanity table in owner’s cabin (3-cabin layout only)	360	
B9-1400	Safe with digital combination lock	503	
B9-1600	Interior saloon blinds - front & side windows	6 877	
B9-1760	Coffee table in lieu of standard folding saloon table	0	
B9-1765	Saloon table convertible to double bunk in lieu of standard folding saloon table. Comes with mattress in mattress cover.	0	
ENGINES & DRIVE			
B9-2000	Yanmar 320hp engines in lieu of std 250hp engines	8 587	x 8 587
B9-2001	Yanmar 370hp engines in lieu of std 250hp engines	21 909	
B9-2500	Bow thruster - Fix tunnel thruster in port bow	14 592	x 14 592
B9-2505	Additional bow thruster controller at Internal Helm (Requires B9-2500). Not to be ordered with option B9-2510/2515	751	x 751
B9-2510	Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control (Requires B9-2500). Bow thruster controller from option B9-2500 to be installed at Internal Helm instead of Flybridge helm. Not to be ordered with option B9-2505/15	9 578	
B9-2515	Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow Thruster control (Requires B9-2500). Bow thruster controller from option B9-2500 will not be installed on boat. Not to be ordered with option B9-2505/10	15 575	
NAVIGATION & ELECTRONICS			
B9-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1). – Note: Raymarine MFD’s (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	5 020	x 5 020
B9-33MM	Raymarine Base Pack: Includes Raymarine VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, 1 x AXIOM12 Multifunction displays in lieu of AXIOM7 Multifunction display at Helmstation c/w retractable depth transducer	13 264	
B9-3304	Raymarine Base Pack: Includes Raymarine VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, 2 x AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	18 584	x 18 584
B9-3313	AXIOM12 Multifunction display at internal helm. Requires Base Pack. Not to be ordered with B9-3346 (B9-3346 comes with an upgraded RV (Real Vision) AXIOM12 MFD which fulfils the functions of this option)	6 024	x 6 024
B9-3317	2 x AXIOM16 15,6" Glass Bridge Multifunction display with WiFi at flybridge helm in lieu of an 2 x AXIOM12	15 574	
B9-3335	Autopilot Wireless remote smart controller at internal helm (Requires Base Pack)	1 571	
B9-3341	Digital Radar: Includes digital solid state wireless 24nm 18" Radome scanner (Requires Base Pack)	4 484	
B9-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection.	6 523	
B9-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV Multifunction	7 833	
B9-3370	Rear-view Raymarine camera (1) (Requires base pack)	1 157	x 1 157
B9-3371	Fwd facing Raymarine camera (1) with Augmented RealityFwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 746	x 1 746
B9-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 263	x 3 263
ELECTRICAL			
B9-4100	110V Shore Power Pack: Includes 2 x 30A port and 2 x 30A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon, galley and nav station	8 319	
B9-4110	220V Shore Power Pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, HWC 220V conversion, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon, galley and nav station	11 080	x 11 080
B9-4130	Digital Switching (110V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). Must be taken with B9-3313 or B9-3346 for internal screen	12 113	
B9-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). Must be taken with B9-3313 or B9-3346 for internal screen	12 113	
B9-4150	Battery charger 60 Amp (not to be ordered if inverter/charger options B9-4301 or B9-4316 is chosen)	1 747	
B9-4200	Shaver outlets in heads, 110V with GFI protection—(2) (Only for boats with 110V systems)	874	
B9-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(2) (Only for boats with 220V systems)	906	
B9-4301	Inverter/Battery Charger: 12V - 110V/3.0 kW inverter with 120A charge rate, including remote operation panel. Only for boats with shore power (B9-4100) or genset options (B9-5200/ B9-5210) - recommended with option B9-4515. B9-4520	5 054	

B9-4302	Inverter/Battery Charger: 12V - 110V/5.0KW inverter with 200A charge rate, including remote operation panel. Only for boats with shore power (B9-4100) or genset options (B9-5200/B9-5210) - recommended with option B9-4525, B9-4530 or B9-4560	11 196		
B9-4316	Inverter/Battery Charger: 12V - 220V/3.0kW inverter with 120A charge rate, including remote operation panel. (Only for boats with shore power (B9-4110) or genset options (B9-5200/B9-5210) - recommended with option B9-4515, B9-4520	5 831		
B9-4317	Inverter/Battery Charger: 12V - 220V/5.0KW inverter with 200A charge rate, including remote operation panel. (Only for boats with shore power (B9-4110) or genset options (B9-5200/B9-5210) - recommended with option B9-4525, B9-4530 or B9-4560	11 196	x	11 196
B9-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1 732	x	1 732
B9-4515	Two additional AGM house battery (210 Ahr) - 4 Total	2 300		
B9-4525	Four additional AGM house battery (210 Ahr) - 6 Total	4 958	x	4 958
B9-4530	Six additional AGM house battery (210 Ahr) - 8 Total	6 751		
B9-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B9-5750)	259	x	259
B9-4560	Lithium ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah lithium ion batteries (LiFePO4), battery monitor & management system with colour display. (Only for boats with shore power (B9-4100/10) or genset options (B9-5210/15) Recommend taking option B9-5750 along with this option. Not to be ordered with B9-4500)	27 240		
B9-4603	Ventilation fans in cabins only for 3 cabin layout (3)	575		
B9-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Only for boats with shore power (B9-4100/B9-4110) options	29 991		
B9-5212	Genset - Northern Lights 9kW non USA only (60 Hz 110V) / 7kW (50 Hz 220V) supplied from port fuel tank. Fuel transfer ability from stbd to port tank. (Only for boats with shore power (B9-4100/10) options)	37 898		
B9-5215	Provision for 6kW genset (includes fuel supply, ventilation blower, auxiliary fuel pump, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring).	7 205	x	7 205
B9-5220	Provision for 9kW genset (includes fuel supply, ventilation blower, auxiliary fuel pump, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring).	7 205		
B9-5250	Air-conditioning System - (2) 16 000 BTU 110V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B9-4100) or genset options (B9-5200, B9210).	24 450		
B9-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B9-4110) or genset options (B9-5200/10).	24 226		
B9-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	7 934		
B9-5265	Provision for Air-conditioning System (2 off 16 000 BTU 220V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump, aircon and control locations)	7 934	x	7 934
B9-56MM	Provision for TV - Swing bracket & wiring supplied only	597		
B9-5670	Provision for TV in Saloon - swing bracket & AC outlet	566	x	566
B9-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	566	x	566
B9-5739	Solar panels 400w each fitted to hard top - (2)	6 680		
B9-5740	Solar panels 400w each fitted to hard top - (4)	12 882		
B9-5741	Solar panels 400w each fitted to hard top - (6)	19 584		
B9-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to house batteries (Not to be ordered with option B9-4550)	2 215		
B9-5800	Underwater Lights - 2 x Blue mounted in stern			
PLUMBING				
B9-6150	Electric Toilets - Salt and Fresh water flush: Sanimarin in lieu of manual salt water flushing toilets for 3 cabin layout - (2)	3 214	x	3 214
B9-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	545	x	545
B9-6520	Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usqal per hr, 12V	22 551		
B9-6525	Watermaker: H2O ECO 600GPD Sea Recovery 95 ltr/ 25 Usqal per hr, 12V	25 168		
B9-6600	Washer/dryer (110V) installed in owners heads. Only for boats with shore power (B9-4100) or genset options (B9-5200/B9-5210).	4 075		
B9-6610	Washer/dryer (220V) installed in owners heads. Only for boats with shore power (B9-4110) or genset options (B9-5200/B95210).	4 075		
B9-6700	110V Dishwasher in Galley (Only for boats with 110V systems)	3 058		
B9-6710	220V Dishwasher in Galley (Only for boats with 220V systems)	4 078		
B9-6800	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water outlets on flybridge and in aft cockpit	1 327	x	1 327
HEATING, REFRIGERATION & GAS				
B9-7712	Refrigerator in Flybridge Wetbar - 12V - 62L	2 224	x	2 224
B9-7715	Two Plate Electric Induction Cooktop (110V) in lieu of 3-burner LPG cooktop. Must be ordered with B9-4302. Not to be ordered with option B9-7720/B9-7725/B9-7726	1 110		
B9-7720	Two Plate Electric Induction Cooktop (220V) in lieu of 3-burner LPG cooktop. Must be ordered with B9-4317. Not to be ordered with option B9-7715/B9-7725/B9-7726	1 110		
B9-7725	Convection Oven (110V) in lieu the Gas Oven. Must be ordered with B9-4302. Not to be ordered with option B9-7715/B9-7720/B9-7726	3 408		
B9-7726	Convection Oven (220V) in lieu the Gas Oven. Must be ordered with B9-4317. Not to be ordered with option B9-7715/B9-7720/B9-7725	1 513		
B9-7727	Convection Oven and Two Plate Electric Induction Cooktop (110V) in lieu of complete LPG System. Must be ordered with B9-4302. Not to be ordered with option B9-7715/B9-7720/B9-7725/B9-7726/B9-7728	3 077		
B9-7728	Convection Oven and Two Plate Electric Induction Cooktop (220V) in lieu of complete LPG System. Must be ordered with B9-4317. Not to be ordered with option B9-7715/B9-7720/B9-7725/B9-7726/B9-7727	1 405		
B9-7730	Electric Grill: 110V on Flybridge Wetbar. Connect to shore power or genset. Only for boats with shore power (B9-4100) or genset options (B9-5200/B9-5210). Not to be ordered with option B9-7731/B9-7732/B9-7733	1 906		
B9-7731	Electric Grill: 220V on Flybridge Wetbar. Connect to shore power or genset. Only for boats with shore power option (B9-4110) or genset options (B9-5200/B9-5210). Not to be ordered with option B9-7730/B9-7732/B9-7733	1 960		
B9-7732	Electric Grill: 110V on Flybridge Wetbar. Connect to 5KW inverter . Must be ordered with option B9-4302. Not	2 106		
B9-7733	Electric Grill: 220V on Flybridge Wetbar. Connect to 5KW inverter . Must be ordered with option B9-4317. Not	2 106		
DECK & HULL				
B9-8001	Exterior Pack 1 - Charcoal (Grey)	0		
B9-8002	Exterior Pack 2 - Captain's Navy (Blue)	0		
B9-8110	Flybridge enclosure front and sides only with aft sunshade curtain	12 383		
B9-8120	Aft cockpit side and back shade curtains	1 731		
B9-8315	Foredeck Cushions	5 198		
B9-8360	S/S Flaq pole holder (2)	532		
B9-8370	S/S Rod holder (4)	1 064		

B9-8400	S/S dive bottle rack - holds 4 bottles	972		
B9-8550	Flybridge stairway hatch	2 804		
B9-8600	Custom S/S davit system with tackle c/w electric winch	6 559	x	6 559
B9-8700	Aft Coaming step; Port & STBD	979		
B9-8800	Teak aft cockpit table in lieu of standard GRP table	5 643		
B9-8810	Teak flybridge table in lieu of standard GRP table	5 378		
B9-8900	Composite teak decking (Colour - Weathered with Black Caulking): aft cockpit, transom steps & flybridge	28 090		
B9-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, transom steps & flybridge	28 090		

GENERAL EQUIPMENT

B9-9905	44lb (20kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 461	x	2 461
B9-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	1 058		
B9-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	598	x	598
B9-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 365		
B9-9918	Anchor bridle, shackles and hook	542	x	542
B9-99MM	Polyform F3 Fenders (8), mooring lines (4, 16mm x 10m), spring lines (2, 16mm x 15m) - incl. anchor well	1 019		
B9-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	1 019	x	1 019

COMMISSIONING & DELIVERY

B9-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	19 039	x	19 039
B9-AUS1	Supply and fit only the Australian compliant hob and oven. Note: Does not include certification.	4 824		
B9-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 378		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4 543		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5 272	x	5 272
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4 267		
	Water Delivery *	62 537		
	Post delivery commissioning	8 381	x	8 381
	Freight Delivery *	47 198	x	47 198

EURO

Total Options	203 599
Total Purchase Price (ex-tax)	972 599

Exceptional Rebate 165 099

Total Purchase Price after Rebate (ex-tax) 807 500

Total Purchase Price including Tax 969 000

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

MAIN SPECIFICATIONS

Length overall.....	40' / 12.19m
Length Waterline.....	39'7" / 12.07m
Beam max.....	21'8" / 6.61m
Draft (half load).....	3'7" / 1.10m
Bridgedeck Clearance (half load).....	2'4" / 0.70m
Overall Height above Water Line, excluding Antenna (Half load).....	18'5" / 5.61m
Saloon Living Area.....	172.8sqft / 16sqm
Displacement (Light ship).....	30,488lbs / 13,829kg
Load carrying capacity.....	12,410lbs / 5,629kg
Fresh water capacity.....	169gal / 640l
Fuel capacity.....	370gal / 1400l
Holding tank capacity.....	42gal / 160l
Standard Engine.....	Yanmar 4LV250
Engine Max Power.....	250hp
Engine Number of Cylinders.....	4

Note: Speed and range figures can vary depending on measurement conditions and fuel quality.

STANDARD BOAT EQUIPMENT LIST (PRELIMINARY)

SALOON

Laminate finish
Wear resistant laminate flooring
Folding saloon table with two fixed legs
LED overhead lighting
Forward doorway access to foredeck
Settee - L - shape on port side
Internal Helm
Single Settee on starboard side
Access to aft cockpit through sliding door

GALLEY

Staron galley worktop surfaces
Single lever mixer faucet with pull-out sprayer
Single s/s sink
Dish and cutlery drying recess with drainage
Cover for drying recess
Domestic refrigerator
3-burner gas hob
Gas oven
Gas solenoid shut-off valve with control at switch panel & warning light at cooker
Gas cylinder regulator in dedicated foredeck LPG locker
Separate garbage bin locker
Stowage space in shelf lockers
Stowage space under floorboards
3 x Drawers
Outboard galley shelf with provision for microwave
Smoke detector / alarm
LPG Detector/alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls
LED overhead lighting
Helm seat c/w backrest

PORT FORWARD & AFT CABIN

Laminate finish with solid wood trims
Wear resistant laminate flooring
Double berths:
Forward Cabin - Queen (1.5m x 2.0m or 4'11" x 6'7")
Aft Cabin - Olympic Queen (1.6m x 2.00m or 5'5" x 6'7")
Hanging locker with lower shelf
LED overhead lighting
2 x LED reading lamps in each cabin
Large open shelves
2 x Stowage drawers under bunk in forward cabin only
1 x Stowage drawer under bunk in aft cabin only
Large hull window incorporating portlight with slatted blind
Carbon monoxide detector / alarm

STARBOARD OWNER CABIN

Laminate finish with solid wood trims
Wear resistant laminate flooring
Mattress Olympic Queen (1.6m x 2.00m or 4'11" x 6'6")

1 x Full height hanging locker
1 x Full height shelf locker
Vanity table/desk with storage locker under lid
Fold up vanity mirror
Drawer unit with 4 x drawers
Sliding entrance door with lock
LED overhead lighting
2 x LED reading lamps over bunk
Carbon monoxide detector / alarm

PORT HEAD

Washbasins with basin mixer and Staron counter
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail
Sliding heads door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
Overhead LED lighting
Large bowl manual toilet

OWNER CABIN HEAD

Washbasins with basin mixer and Staron counter
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail
Sliding heads door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
Overhead LED lighting
Large bowl manual toilet

ENGINE & CONTROLS

Electronic double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 250hp diesel engines
2 x Propellers - 4 -blade fixed
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 370USgal /1400Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm

DECK FITTINGS

Guard railing (s/s)
2 x Pushpits (s/s)
2 x Pulpit seats (port & stbd)
1600w vertical windlass 10mm gypsy and capstan c/w hand-held remote
Anchor bow roller fitting for primary anchor
Anchor bow roller fitting for secondary anchor
Anchor chain stopper
1 x Chain locker
1 x Anchor/windlass locker
3 x Foredeck lockers
Gas cylinder locker
Sliding companionway door
Hardtop over aft cockpit
Settee in aft cockpit with cushions and bolster
Table in aft cockpit
2 x Folding deck chairs
Swimming ladder
Acrylic smoke grey tinted windows
Hatches:
2 x Size 44 Flush Hatch over cabins
Portlights:
5 x Size 1 in hull side
Foredeck watertight access door to saloon
4 x Drinks holders in foredeck
2 x Coachroof handrails (s/s)
2 x Aft hardtop grab handles (s/s)
1 x 300mm mooring cleat in anchor locker
10 x 300mm s/s mooring cleats

FLYBRIDGE

Helmstation console
Acrylic windscreen around fwd section of flybridge
Staircase from aft cockpit to flybridge with LED courtesy lighting
U-shaped upholstered settee with backrests
Storage under settee
Wetbar unit with sink, faucet and Staron worktop
Storage locker in wetbar
Central fixed cocktail table with drink holder recess
Guard rail around flybridge (s/s)
Hardtop over flybridge
Hardtop support arch and forward support posts (s/s)
Overheads LED spotlights
Drinks holders
Port Settee

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways
Bi-colour & stern navlights
Digital monitoring including:
1 x Axiom 7 Multifunction Display at Helm for digital systems monitoring
12v DC switch panel
12v socket at switch panel and at helm station
1 x Double USB outlet at flybridge helm station
1 x Double USB outlet at internal helm station
1 x Double USB outlet in each cabin
1 x Wireless mobile phone charger in saloon
2 x House batteries - 180Ah deep cycle lead acid type
2 x Engine starter batteries - 100Ah Lead acid type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders
1 x Electric fog horn with control at helm station
1200W - 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
2 x Water tanks, 170USgal / 640ltr total capacity with level monitoring
2 x Fresh water pressure pump with accumulator tank
1 x Hot water cylinders 10USgal / 40ltr total capacity
Transom shower (hot and cold)
2 x Automatic shower drain pumps
2 x Holding tanks, 44USgal / 166ltr total capacity
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps (keel sump)
2 x High bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel
Freshwater deckfill
Water purifying filter system

RUDDER & STEERING SYSTEM

Balanced spade rudders
Rudder stock in stainless steel
Self aligning bearings with fiberglass rudder tube
Hydraulic steering system with tilting steering wheel
Soft grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers
Automatic Extinguishing system for engine rooms
Owner's Operating Manual
CE Certification NMMA Certification