

2025 Base Price & Option List

Purchaser	Suggested Package 2025			EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v		539 000
	DESTINATION	St Raphael, South of France		
	NUMBER OF CABINS	3		
INTERIOR				
B6-1001	Upholstery Pack 1 – Faux Leather "Milk"	0	x	
B6-1003	Upholstery Pack 2 – Faux Leather "Artesian"	0	x	0
B6-1005	Upholstery Pack 3 – Sunbrella "Pebble"	260		
B6-1006	Upholstery Pack 4 – Sunbrella "Stone"	260		
B6-1007	Upholstery Pack 5 – Sunbrella "Dune"	260		
B6-10MM	Upholstery Pack 6 - Silvertex "Macadamia"	260		
B6-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	3 372		
B6-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 372		
B6-1300	Full length mirrors for 4-Cabin Layout (4)	1 503		
B6-1301	Full length mirrors for 3-Cabin Layout (3)	1 126		
B6-1400	Safe with digital combination lock	461		
B6-1600	Interior saloon blinds - front & side windows	6 413		
B6-1760	Coffee table in lieu of saloon table and double bunk conversion	0		
ENGINES & DRIVE				
B6-2100	Engine Room Automated Fire Suppression System	3 297		
NAVIGATION & ELECTRONICS				
B6-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2) & aft cockpit (2). Wired remote control at helm station. - Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control	4 994	x	4 994
B6-3220	External foredeck speakers: 2 x speakers with wired remote and amplifier	1 406		
B6-3230	External speakers in coachroof lounge: 4 x speakers with wired remote and amplifier	1 406	x	1 406
B6-3304	Raymarine Base Pack: includes Raymarine VHF (Multizone with AIS receiver) at Nav desk & additional VHF handset at helm, p70 colour autopilot display and AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With wind transducer and retractable depth and	17 003	x	17 003
B6-3313	AXIOM12 Multifunction display at Nav station in saloon. (Requires Base Pack). Not to be ordered with B6-3346. (B6-3346 comes with an upgraded RV (Real Vision) AXIOM12 MFD which fulfils the functions of this option)	5 718		
B6-3324	i70 Display at Helmstation (Requires Base Pack)	1 126		
B6-3335	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1 445		
B6-3341	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner, c/w mast bracket and genoa protection (Requires Base Pack)	4 129		
B6-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection, c/w mast bracket and genoa protection (Requires Base Pack)	6 866		
B6-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV Multifunction display at Nav station. (Requires Base Pack). Not to be ordered with B6-3313	8 319		
B6-3370	Rear-view Raymarine camera (1) (Requires base pack)	1 066		
B6-3371	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack)	1 686		
B6-3381	Raymarine Automatic Identification System with AIS Transceiver (Requires Base Pack)	3 005	x	3 005
ELECTRICAL				
B6-4100	110V Shore Power Pack: includes 2 heavy duty 50ft 30amp shore power lines with connection sockets on port and stbd. AC switch panel and AC outlets in cabins, saloon, galley and nav station	9 425		
B6-4110	220V Shore Power Pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines. AC switch panel, HWC 220V conversion and AC outlets in cabins, saloon, galley and nav station	9 425	x	9 425
B6-4130	Digital Switching (110V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). B6-3313 or B6-3346 must be taken with this option for internal screen	11 621		
B6-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). B6-3313 or B6-3346 must be taken with this option for internal screen	11 621		
B6-4150	Battery charger 60 Amp (not to be ordered if inverter/charger options B6-4300 or B6-4315 is chosen)	1 654		
B6-4200	Shaver outlets in heads, 110v with GFI protection for 4 cabin layout - (4) (Only for boats with Shore Power option, B6-4100)	1 257		
B6-4201	Shaver outlets in heads, 110v with GFI protection for 3 cabin layout - (3) (Only for boats with Shore Power option, B6-4100)	941		
B6-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection for 4 cabin layout—(4) (Only for boats with Shore Power option, B6-4110)	1 556		
B6-4211	Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin layout - (3) (Only for boats with Shore Power option, B6-4110)	1 177		
B6-4301	Inverter/Battery Charger: 12V - 110V/3.0 kW inverter with 120A charge rate, including remote operation panel (only for boats with shore power or genset option) - recommend taking options B6-	4 879		
B6-4316	Inverter/Battery Charger: 12V - 220V/3.0kW inverter with 120A charge rate, including remote operation panel (only for boats with shore power or genset option) - recommend taking options B6-4500 and B6-4515 with this option	5 631	x	5 631
B6-4500	Upgrade std Lead Acid house & engine batteries to AGM batteries	1 657	x	1 657
B6-4510	One additional AGM house battery (210 Ahr) - 3 Total. (Requires B6-4500)	1 070		
B6-4515	Two additional AGM house battery (210 Ahr) - 4 Total. (Requires B6-4500)	2 220	x	2 220

B6-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B6-5750)	244		
B6-4602	Ventilation fans in cabins only for 4 cabin layout (4)	723	x	723
B6-4603	Ventilation fans in cabins only for 3 cabin layout (3)	546		
B6-4900	Windlass "up" footswitch	273		
B6-5200	Genset - Northern Lights 6kW (60 Hz 110V) / 5kW (50Hz 220V) supplied from stbd fuel tank. Fuel transfer ability from port to stbd tank. Only for boats with shore power pack	29 267		
B6-5212	Genset - Northern Lights 9kW non USA only (60 Hz 110V) / 7kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only for boats with shore power.	36 595		
B6-5215	Provision for 6kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack	6 957		
B6-5220	Provision for 9 kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring). Only for boats with shore power pack	6 957		
B6-5250	Airconditioning System - (2) 16 000 BTU 110V with sound enclosures, soft start technology and upgraded control panels.	23 393		
B6-5255	Airconditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and upgraded control panels.	23 393		
B6-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	7 589		
B6-5265	Provision for Air-conditioning System (2 x 16 000 BTU 220V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump, aircon and control locations)	7 589		
B6-5420	Electric Sheet winch - (1) (in lieu of outboard primary winch)	2 762		
B6-5430	Electric Sheet winches - (2) (in lieu of std primary winches)	5 525	x	5 525
B6-5440	Electric Sheet winches - (3) (in lieu of std winches)	8 286		
B6-56MM	Provision for TV in saloon - Swing bracket & wiring supplied only	582		
B6-5670	Provision for TV in Saloon - swing bracket & AC outlet	546		
B6-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet	546		
B6-57MM	Microwave oven in galley (110V)	357		
B6-5700	Solar panels 100w each fitted to decklid - (2)	3 829		
B6-5710	Solar panels 100w each fitted to decklid - (4)	7 498		
B6-5750	Sterling alternator to battery charger. Includes button at helm to link engine batteries to house	2 138		
B6-58MM	Microwave oven in galley (220V)	357		
B6-5800	Underwater Lights - 2 x Blue mounted in stern	4 693		
B6-5850	Pop-up lights (2) at coachroof lounge	1 249		

PLUMBING

B6-6150	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout	750		
B6-6151	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 4C layout	1 004		
B6-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	28 150		
B6-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-ION membrane protection system.	28 891		
B6-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	522	x	522
B6-6550	Watermaker: Sea Recovery 117 ltr/31 USgal per hr, 110v (Only for boats with 110v systems, option B6-4100/41MM)	23 458		
B6-6560	Watermaker: Sea Recovery 117 ltr/31 USgal per hr, 220v (Only for boats with 220v systems, option B6-4110/42MM)	23 458		
B6-6600	Washer/dryer (110V) installed in owners heads - 3-Cabin Layout only. (Only for boats with 110v systems, option B6-4100/41MM)	3 751		
B6-6610	Washer/dryer (220V) installed in owners heads - 3-Cabin Layout only. (Only for boats with 220v systems, option B6-4110/42MM)	3 751		
B6-6700	110V Dishwasher in Galley (Only for boats with 110v systems, option B6-4100/41MM) . Cannot be taken with option B6-6710 or B6-7760	2 817		
B6-6710	220V Dishwasher in Galley (Only for boats with 220v systems, option B6-4110/42MM) . Cannot be taken with option B6-6700 or B6-7760	3 752	x	3 752
B6-6800	Deck wash fitting & pump - dual fresh/salt water system	1 137		
B6-6850	Stern shower: Hot/cold water in lieu of cold only	345	x	345

HEATING, REFRIGERATION & GAS

B6-7100	LPG gas outlet on stern rail for optional BBQ	652		
B6-7710	Refrigerator in aft cockpit 12v	2 253	x	2 253
B6-7755	Icemaker installed in galley 110V (Only for boats with 110v systems, option B6-4100/41MM). Not to be ordered with B6-7756/58/60	3 192		
B6-7756	Icemaker installed in galley 220V (Only for boats with 220v systems, option B6-4110/42MM). Not to be ordered with B6-7755/58/60	3 192		
B6-7758	Additional refrigerator installed in galley 12v. Not to be ordered with B6-7755/56/60	2 850		
B6-7760	Freezer installed in galley 12v. Not to be ordered with B6-6700/10 or B6-7755/56/58	2 850		

DECK & HULL

B6-8001	Exterior Pack 1 – Charcoal (Grey)	0	x	0
B6-8002	Exterior Pack 2 – Captain's Navy (Blue)	0		
B6-8115	Removable helmstation spray dodger	590		
B6-8120	Aft cockpit side and back shade curtains	2 119		
B6-8200	Shoe locker under helm platform. Not to be ordered with option B6-7710	992		
B6-8300	Aft Cockpit Cushions (Seats only without backrests) - Not to be ordered with B6-8301	4 753		
B6-8301	Aft Cockpit Cushions (Seats & backrests) - Not to be ordered with B6-8300	6 487	x	6 487
B6-8310	Helm seat cushion	748	x	748
B6-8315	Foredeck Cushions	3 767		
B6-8320	Coachroof lounge cushions (seats and backrests) and coachroof lounge table	6 339		
B6-8420	Leather covered steering wheel	659		
B6-8500	Leather covered steering wheel	453		
B6-8505	Black powder coated steering wheel	262		

B6-8600	Custom S/S davit system with tackle c/w electric winch	6 095	x	6 095
B6-8800	Teak aft cockpit table in lieu of standard GRP table	4 686		
B6-8900	Composite teak decking (Colour - Weathered with Black Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof loune)	17 014		
B6-8901	Composite teak decking (Colour - Weathered with White Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge)	17 014		

SAILS & RIGGING

B6-9100	Asymmetric spinnaker running rigging	1 137		
B6-9300	Standard 1.5oz Asymmetric spinnaker - as per exterior pack choice. Not to be taken with option B6-	5 411		
B6-9400	Boom Cover (stackpack) - as per exterior pack choice	2 054	x	2 054
B6-9500	Bowsprit c/w roller furler (incl. running rigging excl. sail/s)	7 564		
B6-9505	Code 0 (All round light weather sail - Sheeted inside or outside) - sail only, Not to be taken with option B6-9600	5 493		
B6-9510	Code D (Downwind light weather sail - Sheeted outside) - sail only Not to be taken with option B6-	7 195		
B6-9600	Shortened rig: mast height reduced to 63' above design waterline (half load) – modified genoa UV strip as per exterior pack choice	362		
B6-9700	Square Top mainsail with Karver Hook in lieu of std main	1 958		
B6-9710	Square Top mainsail with Karver Hook in lieu of standard main for shortened rig	1 958		

PERFORMANCE OPTIONS

B6-2110	Flexofold folding prop upgrade in lieu of std fixed props (2)	7 133		
B6-9530	Upgraded Super-T lines including main halyard, genoa halyard, reef lines and code 0 halyard & furler control	3 775		
B6-9540	Upgraded Ultra X Dyneema Norlam high performance North Sails (square top main and genoa incl. Karver hook) in lieu of standard main sail and genoa – as per exterior pack. Must be taken with option B6-9530.	23 632		
B6-9550	Upgraded MaxiKote Stormlite high performance North Sails Code 0 sail (All round light weather sail – sheeted inside or outside) – sail only. Not to be taken with option B6-9600	7 154		
B6-9555	Upgraded MaxiKote Stormlite high performance North Sails Code D sail (Downwind light weather sail – sheeted outside) – sail only. Not to be taken with option B6-9600	9 029		

GENERAL EQUIPMENT

B6-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 784	x	1 784
B6-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 796		
B6-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	1 034		
B6-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	551	x	551
B6-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 257		
B6-9918	Anchor bridle, shackles and hook	367	x	367
B6-9920	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m)	939		
B6-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	939	x	939

COMMISSIONING & DELIVERY

B6-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	17 183	x	17 183
B6-AUS1	Supply and fit only the Australian compliant hob and oven. Note: Does not include certification.	4 599		
B6-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 391		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4 634		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5 377	x	5 377
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4 352		
	Water Delivery *	38 938		
	Post delivery commissioning	8 548	x	8 548
	Freight Delivery *	37 758	x	37 758

EURO

Total Options	146 353
----------------------	----------------

Total Purchase Price (ex-tax)	685 353
--------------------------------------	----------------

Exceptional Rebate	61 186
---------------------------	---------------

Total Purchase Price after Rebate (ex-tax)	624 167
---	----------------

Total Purchase Price including Tax	749 000
---	----------------

Purchaser	Date
-----------	------

Purchaser	Date
-----------	------

Dealer	Date
--------	------

*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

MAIN SPECIFICATIONS

Length overall.....	41'7" / 12.67m
Length waterline.....	40'10" / 12.44m
Beam max.....	23'1" / 7.04m
Draft (half load).....	4'7" / 1.40m
Bridgedeck Clearance (half load).....	2'6" / 0.75m
Mast Height (half load).....	67'10" / 20.68m
Saloon Living Area.....	162sqft / 15sqm
Displacement (Light ship).....	30,183lbs / 13,691kg
Load carrying capacity.....	11,156lbs / 5,015kg
Main sail area (standard).....	717sqft / 66.6sqm
Genoa Area.....	501sqft / 46.5sqm
Total upwind area (standard).....	1,217sqft / 113.1sqm
Code 0 area.....	676sqft / 62.8 sqm
Code D area.....	1022sqft / 94.9sqm
Fresh water capacity.....	174gal / 660l
Fuel capacity.....	158gal / 600l
Holding tank capacity.....	32gal / 120l (3 cabins) or 44gal / 16

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finish with solid wood trims
 Wear resistant simulated wood flooring
 Saloon table - convertible to double bunk c/w mattress
 LED overhead lighting
 Concealed overhead rope lighting
 Overhead window with blind
 Ventilation through forward facing portlights
 Stowage space under settee cushions
 Forward doorway access to foredeck
 Access to aft cockpit through sliding door/window
 2 x Loose Ottoman stools to be used as:
 Chart table seat
 Settee seating

GALLEY

Solid surface acrylic worktops
 Single lever mixer faucet with pull-out sprayer
 Single bowl s/s sink
 Dish and cutlery drying recess with drainage
 Cover for drying recess
 Vitrefrigo 2-drawer fridge/freezer 56USgal / 212Ltr 12v
 ENO 3-burner gas hob
 ENO gas oven
 Gas solenoid shut-off valve with control at switch panel & warning light at cooker
 Gas cylinder regulator in dedicated cockpit LPG locker
 Separate garbage bin locker
 Stowage space in shelf lockers
 Stowage space under floorboards
 Pot drawer under oven
 3 x Drawers alongside oven
 Outboard galley shelf
 Microwave locker

CABINS x 4 (4 CABIN VERSION)

Laminate finish with solid wood trims
 Wear resistant laminate flooring
 Double berths:
 Forward Bunks (1.5m x 2.14m or 4'11" x 7'0")
 Aft Bunks (1.57m x 2.04m or 5'2" x 6'8")
 Hanging locker with lower shelf
 LED overhead lighting
 2 x LED reading lamps in each cabin
 Concealed overhead rope lighting
 Concealed under bunk rope lighting
 Overhead roller blinds for privacy
 Large open shelves
 2 x Stowage drawers under each bunk
 Large hull window incorporating portlight and pleated blind

Transom portlight in aft cabins

OWNER CABIN (3 CABIN VERSION)

Laminate finish with solid wood trims
Wear resistant laminate flooring
Double berth (1.57m x 2.04m or 5'2" x 6'8")
1 x Full height hanging locker
1 x Full height shelf locker
Vanity table/desk with storage locker under lid
Fold up vanity mirror
Drawer unit with 3 x drawers
2 x Stowage drawers under bunk
Sliding entrance door with lock
LED overhead lighting
Concealed overhead rope lighting
Concealed under bunk rope lighting
2 x LED reading lamps over bunk

NAVIGATION CONSOLE

Chart table with storage locker under hinged lid
LED overhead lighting
Backrest s/s railing

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasins with basin mixer and solid surface acrylic top
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail
Sliding heads door
Coat hook on door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
LED Overhead lighting
Overhead roller blinds for privacy
Electric salt water toilet

OWNER CABIN HEADS (3 CABIN VERSION)

Large washbasin with basin mixer and solid surface acrylic top
Under-basin locker with toilet roll holder
Separate shower compartment with divider c/w lever mixer and adjustable drainage system
Shower sump with automatic drainage system
Electric salt water toilet
Double towel rail
Vanity Locker with mirror
Dedicated trashcan locker
Large linen locker (can house optional washing machine)
Sliding heads door
Overhead roller blind for privacy
LED Overhead lighting

DECK FITTINGS

Guardwires with stanchions, bases, port & starboard side gates
Guardwires across bow and stern
1600w vertical windlass 10mm gypsy and capstan c/w hand-held remote
Anchor bow roller fitting
Anchor chain stopper
Liferaft locker with convertible fore/aft seat bolster
Sliding companionway door/window
Hardtop over cockpit complete with LED lighting
Hardtop over helm with supports and LED light
Forward window brow complete with LED lighting
Side window brows
Folding swimming ladder c/w teak steps
Emergency ladder mounted on port transom
Cockpit table
Bridle mainsheet system (3:1 purchase)
Trampoline
Helmseat with upholstered backrest
Acrylic smoke grey tinted windows
Hardtop supports
Hatches:
Size 10 Flush Hatch: 4-Cabin Layout has 4x over heads.
Size 10 Flush Hatch: 3-Cabin Layout has 2x over port heads, 2x over study.
Size 44 Flush Hatch: 4-Cabin Layout has 4x over cabins and 2x over forepeaks.
Size 44 Flush Hatch: 3-Cabin Layout has 3x over cabins, 1x over owner's heads and 2x over forepeaks.
Portlights:
Size 5 Portlights: Both Layouts has 2x in windscreen
Size 1 Portlight: 4-cabin Layout has 10x in hull side and transom
Size 1 Portlight: 3-cabin Layout has 9x in hull side and transom
1 x Anchor chain bin
1 x Anchor/windlass locker
2 x Foredeck locker
Forward access to foredeck c/w watertight saloon access door
2 x Pulpits with seat
2 x Pushpits
2 x Coachroof handrails
1 x Coachroof Steps handrail
2 x Hardtop grab handles
2 x Transom grab handles

9 x 310mm mooring cleats
2 x Winch handles
2 x Primary winches - (black anodised alloy)
1 x Main sheet winch (black anodised alloy)
2 x genoa cars with pin stop
2 x genoa tracks
2 x Halyard clutch at helm (main & gennaker)
2 x Genoa sheet clutch at helm
2 x Mainsheet clutch at helm
2 x Reef clutch at helm
1 x Furler clutch at helm
1 x Genoa Halyard Clutch and cleat on mast
Drinks holders
2 on forward Coamings
2 at helm
Rope bag at helm (comes with winch handle pocket sewn in)

COACHROOF LOUNGE

L-shaped GRP settee (optional seat cushions, backrest and table)

ENGINE & CONTROLS

Double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 45hp diesel engines with sail drives
2 x Propellers - fixed blade
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 160USgal / 600Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm

ELECTRICAL INSTALLATION

Digital monitoring with 7" Multi-function Display
LED Courtesy lights at stairways
Bi-colour & stern navlights
12v DC switch panel
12v Outlet plug at helm station
USB Outlet at helm station
1 x Double USB socket at saloon cave locker
2 x Double USB socket at Nav station
1 x Double USB socket in each cabin
1 x Wireless mobile phone charger at nav desk
2 x House batteries - 210Ah deep cycle lead acid type
2 x Engine starter batteries - 100Ah lead acid type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
2 x Water tanks, 174USgal / 660ltr total capacity
1 x fresh water pressure pump with accumulator tank
2 x Hot water cylinders 12USgal / 46ltr total capacity
Transom shower (cold only)
4 x Automatic shower drain pumps
2 x Holding tanks,
32USgal / 120ltr total capacity (3 cabin)
or 40USgal / 150ltr total capacity (4 cabin)
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps (keel sump)
2 x High bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) with float switch and warning light at switch panel
Freshwater connection
Water purifying filter system (Purifying water tap located at galley)

NAVIGATION EQUIPMENT

Compass at helm position

RUDDER & STEERING SYSTEM

Balanced spade rudders
Rudder stock in 17-4 PH stainless steel
Self aligning bearings
Chain-and-wire steering system c/w bulkhead steering unit and brake
Destroyer-type steering wheel
Emergency tiller (s/s)

RUNNING RIGGING

2 x Main sheets (3:1 purchase)
2 x Genoa sheets
3 x Halyards (main, genoa & spare)
2 x Single line reefs lead aft
Main boom topping lift

MAST, RIGGING & SAILS

Natural anodized mast

Natural anodized crossbeam c/w mooring cleats
Wind indicator
Genoa furler
Mainsail full battened c/w 2 rows reefs
Furling genoa
2 x Additional spare 12v wires in mast
Additional spare conduit with messenger in mast

GENERAL EQUIPMENT

6 x Fire extinguishers(3C) and 7 x Fire extinguishers(4)
Owner's Operating Manual
CE Certification
NMMA Certification