

LEOPARD | 46

2025 Base Price & Option List

Purchaser	SUGGESTED PACKAGE 2025		EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	699 000
	DESTINATION	St Raphael, South of France	
	NUMBER OF CABINS	4	
INTERIOR			
C1-0001	5 Cabin 5 Head layout in lieu of standard 4 cabin 4 head layout	4 399	x
C1-0003	Utility room in lieu of port fwd cabin and port fwd heads	0	x 0
C1-0101	Upholstery Pack 1 – Snowdown "Limestone"	260	
C1-0102	Upholstery Pack 2 – Approach "Linen"	0	x 0
C1-0103	Upholstery Pack 3 – Cyborg "Storm"	260	
C1-10MM	Upholstery Pack 4 - Silvertex "Macadamia"	260	
C1-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 597	
C1-1010	Carpets in cabins and corridors – 5 cabin layout. Excludes saloon and galley areas	TBD	TBD
C1-1300	Full length mirrors for 4-Cabin Layout (4)	1 518	
C1-1301	Full length mirrors for 5-Cabin Layout (5)	1 896	
C1-1320	Extra storage (drawers) in lieu of vanity table in owner's cabin (4-cabin layout only)	TBD	TBD
C1-1400	Safe with digital combination lock	167	
C1-1600	Interior saloon blinds - front & side windows	6 962	
C1-1760	Loose coffee table in lieu of saloon table	TBD	TBD
ENGINES & DRIVE			
C1-2000	Upgrade to Yanmar 57hp engines with sail drives in lieu of std 45hp engines (2)	12 642	x OFFERED
C1-2100	Engine Room Automated Fire Suppression System	3 330	
C1-2300	Electric propulsion system with 2 x 25kW Electric Motors (in lieu of 2 x 45hp Diesel engines), 2 x 27kW Batteries (with built-in fire suppression), total 12kW 220V AC inverter for all AC (110 or 220V) powered house loads (in lieu of standard inverter), 1 x display at nav desk, 1 x throttle control and display at helm. Must be taken with C1-2310 or C1-2320	165 755	
C1-2310	Power infrastructure for electric drive (110V Boats). Includes 1 x 24kW Range extending Genset, 110V Shore power pack with 2 x 30A (port) and 2 x 30A (stbd) shore power inlets with 2 x heavy duty 50ft shore powerlines, 2 x 3kW shore power battery chargers, AC switch panel, Battery management systems, AC outlets in cabins, saloon and galley, 4 x AGM house batteries (in lieu of standard batteries) Must be taken with C1-2300	35 969	
C1-2320	Power infrastructure for electric drive(220V Boats). Includes 1 x 24kW Range extending Genset, 220V Shore power pack with 2 x 32A (port) and 2 x 32A (stbd) shore power inlets with 2 x heavy duty 50ft shore powerlines, 2 x 6kW shore power battery chargers, AC switch panel, Battery management systems, AC outlets in cabins, saloon and galley, 4 x AGM house batteries (in lieu of standard batteries) Must be taken with C1-2300	35 969	
NAVIGATION & ELECTRONICS			
C1-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & coachroof (2). Wired remote controls in Helm station (1), Fwd cockpit (1) & coachroof (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	7 876	x 7 876
C1-33MM	Raymarine Base Pack: Includes Ray 73 VHF (Multizone with AIS receiver) at Nav desk & additional VHF handset at helm, p70s autopilot display and AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helm station. With depth & wind transducer	16 772	
C1-3304	Raymarine Base Pack: Includes Ray 73 VHF (Multizone with AIS receiver) at Nav desk & additional VHF handset at helm, p70s autopilot display and AXIOM12 Multifunction display in lieu of AXIOM7 Multifunction display at Helm station. With retractable depth & speed, plus wind transducers	17 003	x 17 003
C1-3313	AXIOM12 Multifunction display at Nav desk in saloon. (Requires Base Pack). Not to be ordered with option C1-3346 (C1-3346 comes with an upgraded RV (Real Vision) AXIOM12 MFD which fulfils the functions of this option)	6 369	x 6 369
C1-3335	Autopilot Wireless remote smart controller at Nav desk (Requires Base Pack)	1 461	
C1-3341	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner. c/w mast bracket and genoa protection. (Requires Base Pack)	4 171	
C1-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection. c/w mast bracket and genoa protection. (Requires Base Pack)	6 248	
C1-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV Multifunction display at Nav	8 319	
C1-3370	Rear-view Raymarine camera (1) (Requires base pack)	1 077	x 1 077
C1-3371	Fwd facing Raymarine camera (1) with Augmented Reality function. Including AR200 GPS in lieu of base pack GPS.	1 343	x 1 343
C1-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 037	x 3 037
C1-3390	Raymarine Yacht Sense EcoSystem Router	1 252	
ELECTRICAL			
C1-41MM	110V Hard wired shore power pack: Includes 1 x heavy duty 50ft 125/250V 50A shore power line, AC switch panel, 5000W 220V inverter/charger and 110V auto-transformer (in lieu of standard inverter), Battery management system allowing monitoring on Multifunction display. AC outlets in cabins, saloon and galley	19 702	
C1-4100	110V Shore power pack: Includes 1 x 125/250V 50A port and 1 x 125/250V 50A stbd shore power inlets with 1 x heavy duty 50ft shore power line, AC switch panel, 5000W 220V inverter/charger and 110V auto-transformer (in lieu of standard inverter), Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley	19 702	
C1-4110	220V Shore power pack: Includes 2 x 220V 32A port and 2 x 220V 32A stbd shore power inlets with 2 x heavy duty 50ft shore power lines, AC switch panel, 5000W 220V inverter/charger (in lieu of standard inverter), hot water cylinder and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley	17 560	x 17 560
C1-4121	US Global Shore power pack: Includes 1 x 125/250V 50A and 1 x 220V 32A port and 1 x 125/250V 50A and 1 x 220V 32A stbd shore power inlets with 2 x heavy duty 50ft shore power line, AC switch panel, 5000W 220V inverter/charger for 50/60Hz equipment and 2 x 110V 3000W inverter for 110V 60Hz equipment (in lieu of standard inverter). Battery	TBD	TBD
C1-4122	EU Global Shore power pack: Includes 1 x 125/250V 50A and 1 x 220V 32A port and 1 x 125/250V 50A and 1 x 220V 32A stbd shore power inlets with 2 x heavy duty 50ft shore power line, AC switch panel, 5000W 220V inverter/charger for 50/60Hz equipment and 2 x 220V 3000W inverter for 220V 50Hz equipment (in lieu of standard inverter). Battery	TBD	TBD
C1-4127	US Reverse Y Shore Power Adapter. For connection from 125/250V 50A to 2 x US 30A shore supply.	TBD	TBD
C1-4128	European Shore Power Adapter. For connection from 125/250V 50A to 1 x 220V 32A power supply.	TBD	TBD
C1-4130	Digital Switching (110V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). C1-3313 or C1-3346 must be taken with this option for internal screen. Not to be ordered with options C1-2310/2320/4121/4122	8 853	

C1-4140	Digital Switching (220V boats). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). C1-3313 or C1-3346 must be taken with this option for internal screen. Not to be ordered with options C1-2310/2320/4121/4122	8 853		
C1-4141	Digital Switching (Global Shore Power). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). Only for boats with Global shore power options (C1-4121/4122). C1-3313 or C1-3346 must be taken with this option for internal screen	TBD		TBD
C1-4142	Digital Switching (Electric Propulsion). Includes 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. (Requires Base Pack). Only for boats with Power infrastructure for electric drive options (C1-2310/2320). C1-3313 or C1-3346 must be taken with this option for 220V Hard wired shore power pack: Includes 2 x heavy duty 50ft 220V 32A shore power lines, AC switch panel, 5000W 220V inverter/charger (in lieu of standard inverter), hot water cylinder and Convection microwave voltage conversion to 220V. Battery management system allowing monitoring on Multifunction display. AC outlets in cabins, saloon and galley	TBD		TBD
C1-42MM	Shaver outlets in heads, 110V with GFCI protection—(4) Only for boats with shore power options (C1-4100/41MM/4121)	18 087		
C1-4200	Shaver outlets in heads, 110V with GFCI protection—(5) Only for boats with shore power options (C1-4100/41MM/4121)	1 268		
C1-4202	Shaver outlets in heads, combination 220V/110V with transformer current protection—(4). Only for boats with shore power options (C1-4110/42MM/4122)	1 587		
C1-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(4). Only for boats with shore power options (C1-4110/42MM/4122)	1 571		
C1-4213	Shaver outlets in heads, combination 220V/110V with transformer current protection—(5). Only for boats with shore power options (C1-4110/42MM/4122)	1 942		
C1-4500	Upgrade std Lead Acid house batteries to AGM batteries. Recommended with shore power option	3 549	x	3 549
C1-4515	Two additional AGM house batteries (210Ah) 6 Total. (Requires C1-4500)	3 229	x	3 229
C1-4525	Four additional AGM house batteries (210Ah) 8 Total. (Requires C1-4500)	5 826		
C1-4550	Link engine starter batteries to house batteries. Operated from push button at helm. Not to be ordered with option C1- Lithium Ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah Lithium Ion batteries (LiFePO4). Only for boats with shore power options (C1-4100/4110/41MM/42MM/4121/4122) or genset options (C1-5210/5211). Not to be ordered with options C1-4500 and 5750	248		
C1-4560	Lithium Ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah Lithium Ion batteries (LiFePO4). Only for boats with shore power options (C1-4100/4110/41MM/42MM/4121/4122) or genset options (C1-5210/5211). Not to be ordered with options C1-4500 and 5750	TBD		TBD
C1-4602	Ventilation fans in cabins only for 4 cabin layout (4)	729	x	729
C1-4604	Ventilation fans in cabins only for 5 cabin layout (5)	893		
C1-4900	Windlass "up" footswitch	276		
C1-5211	Genset – Northern Lights 12kW (60 Hz 220V) / 10kW (50 Hz 220V) supplied from port fuel tank. Fuel transfer ability from	47 018		
C1-5212	Genset – Northern Lights 9kW non USA only (60 Hz 220V) / 7kW (50 Hz 220V) supplied from port fuel tank. Fuel transfer	36 962		
C1-5220	Provision for 9kW and 12kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & Air-conditioning System - 18 000 BTU (1) and 10 000 BTU (4) variable capacity climate control units with control panels.	8 291	x	8 291
C1-5254	Air-conditioning System - 18 000 BTU (1) and 10 000 BTU (4) variable capacity climate control units with control panels.	41 231		
C1-5255	Air-conditioning System - 18 000 BTU (1) and 10 000 BTU (4) variable capacity climate control units with control panels.	41 231		
C1-5265	Provision for Air-conditioning System - (1) 18 000 BTU and (4) 10 000 BTU. Includes ducting, air vents and cooling water	8 019	x	8 019
C1-5400	Electric main sheet winch - (1) (in lieu of std manual winch).	4 738	x	4 738
C1-5670	Provision for TV in saloon - swing bracket & AC outlet	592	x	592
C1-5680	Provision for TV in owner's cabin (4-cabin layout only)	552	x	552
C1-5720	Integrated solar panels fitted to decklid - Total 2800W	TBD		TBD
C1-5739	Solar panels 400w each fitted to hard top - (2)	6 881		
C1-5740	Solar panels 400w each fitted to hard top - (4)	12 440	x	12 440
C1-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to house batteries. Not to be	2 025		
C1-5800	Underwater Lights - 2 x Blue mounted in stern	4 738		

PLUMBING

C1-6410	11 Gal Water Heaters in lieu of 6.5 Gal Water Heaters - (2)	751		
C1-6515	Sea water inlet seacock with hose led above the waterline (for future Watermaker installation)	526	x	526
C1-6520	Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usqal per hr, 12V	18 994		
C1-6525	Watermaker: H2O ECO 600GPD Sea Recovery 95 ltr/ 25 Usqal per hr, 12V	21 267		
C1-6600	Washer/dryer (110V) installed in port corridor. Only for boats with shore power options (C1-4100/41MM/4121). Not to be ordered with options C1-6610 and 0003	3 790		
C1-6610	Washer/dryer (220V) installed in port corridor. Only for boats with shore power options (C1-4110/42MM/4122). Not to be ordered with options C1-6600 and 0003	3 790		
C1-6615	Washer/dryer (220V) installed in utility cabin. Only for boats with shore power options (C1-4110/42MM/4122). Not to be ordered with option C1-6620. (Requires option C1-0003)	TBD		TBD
C1-6620	Washer/dryer (110V) installed in utility cabin. Only for boats with shore power options (C1-4100/41MM/4121). Not to be ordered with option C1-6615. (Requires option C1-0003)	TBD		TBD
C1-6700	110V Dishwasher in Galley. Only for boats with shore power options (C1-4100/41MM). Not to be ordered with options C1-6710 and 7761	2 845		
C1-6710	220V Dishwasher in Galley. Only for boats with shore power options (C1-4110/42MM). Not to be ordered with options C1-6700 and 7761	3 791		
C1-6800	Deck wash fitting & pump - dual fresh/salt water system	1 149	x	1 149

HEATING, REFRIGERATION & GAS

C1-7713	Fridge/Freezer (12V) installed in aft cockpit. Can be used either as a Fridge or Freezer	3 301	x	3 301
C1-7715	Two plate electric induction cooktop (110V) in lieu of 3-burner LPG cooktop and complete LPG system. Only for boats with shore power options (C1-4100/41MM). Not to be ordered with option C1-7720. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	0		
C1-7720	Two plate electric induction cooktop (220V) in lieu of 4-burner LPG cooktop and complete LPG system. Only for boats with shore power options (C1-4110/42MM). Not to be ordered with option C1-7715. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	0	x	0
C1-7730	Single Element Electric Grill (110V) installed in aft cockpit. Only for boats with shore power options (C1-4100/41MM/4121). Not to be ordered with options C1-7731/7734/7735/7736. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	1 953		
C1-7731	Single Element Electric Grill (220V) installed in aft cockpit. Only for boats with shore power options (C1-4110/42MM/4122). Not to be ordered with options C1-7730/7734/7735/7736. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	1 953		
C1-7734	Gas Plancha Grill installed in aft cockpit. Not to be ordered with options C1-7730 /7731 /7735 /7736	1 480		
C1-7735	Two plate electric induction cooktop (110V) (Option C1-7715) and Gas Plancha Grill (Option C1-7734) Combo. Only for boats with shore power options (C1-4100/41MM). Not to be ordered with options C1-7715/7720/7734/7736. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	3 479		
C1-7736	Two plate electric induction cooktop (220V) (Option C1-7720) and Gas Plancha Grill (Option C1-7734) Combo. Only for boats with shore power options (C1-4110/42MM/4121/4122). Not to be ordered with options C1-7715/7720/7730/7731/7734/7735. Battery upgrades recommended with this option (Min C1-4515, recommended C1-4525 or 4560)	TBD		TBD
C1-7755	Icemaker (110V) installed in galley. Only for boats with shore power options (C1-4100/41MM). Not to be ordered with option C1-7756	3 225		
C1-7756	Icemaker (220V) installed in galley. Only for boats with shore power options (C1-4110/42MM). Not to be ordered with C1-	3 225		
C1-7761	Additional Fridge/Freezer (12V) installed in galley. Can be used either as a Fridge or Freezer. Not to be ordered with options C1-6700 and 6710	3 301		

DECK & HULL

C1-8105	Coachroof lounge awning (Requires C1-9400)	1 654		
C1-8115	Removable helmstation spray dodger	609		
C1-8120	Aft cockpit side and back shade curtains	2 652		
C1-8301	Aft Cockpit Cushions (Seats & backrests)	9 812	x	9 812
C1-8306	Fwd Cockpit Cushions (Seats Only)	2 962	x	2 962
C1-8315	Foredeck Lounging Cushions	7 061		
C1-8500	Leather covered steering wheel	458	x	458
C1-8510	Composite Steering Wheel - Black	1 354		

C1-8600	Custom S/S davit system with tackle c/w electric winch	6 158	x	6 158
C1-8630	Winch type lifting platform with folding chocks	55 684		
C1-8800	Teak aft cockpit table in lieu of standard GRP table	5 240		
C1-8902	Composite teak decking (Colour - Bleached with Black Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge	23 893		
C1-8903	Composite teak decking (Colour - Bleached with White Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge	23 893		
C1-8912	Composite teak decking (Colour - Bleached with Black Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge and lifting platform. Only for boats with option C1-8630 / C1-8635	26 321		
C1-8913	Composite teak decking (Colour - Bleached with White Caulking): aft cockpit, fwd cockpit, helm platform, transom steps and coachroof lounge and lifting platform. Only for boats with option C1-8630 / C1-8635	26 321		

SAILS & RIGGING

C1-9100	Asymmetric spinnaker running rigging	1 149		
C1-9300	Standard 1.5oz Asymmetric spinnaker. Not to be taken with option C1-9600	9 493		
C1-9400	Boom Cover (Charcoal Grey)	2 087		
C1-9410	Boom Cover (Charcoal Grey) c/w Coachroof Lounge Awning	3 741	x	3 741
C1-9500	Bowsprit c/w roller furler (incl. running rigging excl. sail/s)	7 820		
C1-9505	Code 0 (All round light weather sail - Sheeted inside or outside) - sail only. Not to be taken with option C1-9600	5 828		
C1-9510	Code D (Downwind light weather sail - Sheeted outside) - sail only. Not to be taken with option B6-9600	7 536		

PERFORMANCE OPTIONS

C1-9540	Upgraded Square top main and genoa incl. Karver hook - Aramid sport with double Taffeta laminate from Ullman Sails (in lieu of standard main sail and genoa)	23 632		
C1-9550	Upgraded Code 0 - Aramid laminate with single taffeta from Ullman Sails (Must be taken with C1-9500)	7 474		
C1-9555	Upgraded Code D - Aramid laminate with single taffeta from Ullman Sails (Must be taken with C1-9500)	9 468		
C1-9700	Square Top mainsail with Karver Hook in lieu of std main. Cannot be ordered with C1-9540	2 095		

GENERAL EQUIPMENT

C1-99MM	Polyform F3 Fenders (8), mooring lines (4, 16mm x 10m), spring lines (2, 16mm x 15m) - incl. anchor well chafe strips	930		
C1-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 803		
C1-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 824	x	2 824
C1-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	1 042		
C1-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain. Can only be taken with C1-9903 or C1-9905	555	x	555
C1-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain. Can only be taken with C1-9903 or C1-9905	1 268		
C1-9918	Anchor bridle, shackles and hook	429	x	429
C1-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	948	x	948

COMMISSIONING & DELIVERY

C1-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching & stepping of mast, installation of sails & rigging, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	17 439	x	17 439
C1-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 288		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4 543		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	5 272	x	5 272
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4 267		
	Water Delivery *	38 938		
	Post delivery commissioning	8 381	x	8 381
	Freight Delivery *	44 838	x	44 838

EURO

Total Options	205 195
----------------------	----------------

Total Purchase Price (ex-tax)	904 195
--------------------------------------	----------------

Exceptional Rebate	71 695
---------------------------	---------------

Total Purchase Price after Rebate (ex-tax)	832 500
---	----------------

Total Purchase Price including Tax	999 000
---	----------------

Purchaser	Date
-----------	------

Purchaser	Date
-----------	------

Dealer	Date
--------	------

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

LEOPARD | 46

MAIN SPECIFICATIONS

Length overall.....	13.90m / 45'7"
Length overall (including Platform).....	14.48m / 47'6"
Length waterline.....	44' / 13.42m
Beam max.....	24'01" / 7.35m
Draft (half load).....	5'5" / 1.65m
Bridgedeck Clearance (half load).....	2'9" / 0.85m
Mast Height (half load).....	75'2" / 22.90m
Displacement (Light ship).....	37,939lbs / 17,209kg
Load carrying capacity.....	12,952lbs / 5,875kg
Main sail area (standard).....	931sqft / 86.5sqm
Main sail area (square top).....	1014sqft / 94.2sqm
Genoa Area.....	623sqft / 57.9sqm
Total upwind area (standard).....	1,554sqft / 144.4sqm
Spinnaker area.....	2132qft / 198.1sqm
Code 0 area.....	850qft / 79sqm
Code D area.....	1,385sqft / 128.7sqm
Fresh water capacity.....	185gal / 700l
Fuel capacity.....	182gal / 690l
Holding tank capacity.....	48gal / 18l
Engine power (standard).....	45hp / 33kw

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finishes with solid wood trims
 Wear resistant laminate flooring
 Saloon table folds into coffee table
 L-shaped settee
 LED overhead lighting
 Ventilation through fwd facing portlights
 Stowage space under settee cushions
 Forward doorway access to forward cockpit
 Access to aft cockpit through sliding door
 Loose upholstered bench to be used as:
 - Interior saloon seating
 - Aft cockpit seating
 Joinery staircase to hull accommodation

GALLEY

Staron galley worktop surfaces
 Single lever mixer faucet with pull out sprayer
 Single bowl s/s sink
 Dish and cutlery drying recess with drainage
 Cover for drying recess
 Vitrefrio 2-drawer front-opening fridge/freezer
 56USgal / 212Ltr 12v refrigeration
 4-burner gas hob
 Convection microwave oven
 Gas solenoid shut-off valve with control at switch panel & warning light at cooker
 Gas cylinder regulator in dedicated cockpit LPG locker
 Separate garbage bin locker
 Stowage space in shelf lockers
 Stowage space under floorboards
 1 x Pot storage drawer below oven
 4 x Galley drawers
 Spice/condiment drawer
 Outboard galley shelf
 Smoke detector / alarm
 Carbon monoxide detector / alarm

NAVIGATION CONSOLE

Chart table with storage locker under hinged lid
 LED overhead lighting
 Fixed seat with backrest

NAVIGATION EQUIPMENT

Compass at helm position

COACHROOF LOUNGE

L-Shaped Settee with cushions and backrest
 Table with drinks holders
 Sunbed

GENERAL EQUIPMENT

7 x Fire extinguishers
 2 x Folding deck chairs

Owner's Operating Manual
CE Certification
NMMA Certification

STANDARD CABINS x3 (4 CABIN VERSION)

Laminate finishes with solid wood trims
Wear resistant simulated wood flooring
Double berths:
- Fwd Bunks (1.42m x 2.15m or 56" x 84")
- Aft Bunks (1.50m x 2.05m or 59" x 80")
Bedside shelf
Hanging locker with lower shelf
LED overhead lighting
Concealed overhead rope lighting
2 x LED reading lights
Overhead roller blinds for privacy
Large open shelves
2 x Storage drawers under bunk (only 1 drawer in aft cabins)
Storage space under floorboards
Large hull window incorporating portlight and honeycomb blind
Transom portlight in aft cabins
Carbon monoxide detector/alarm

OWNER CABIN (4 CABIN VERSION)

Laminate finishes with solid wood trims
Wear resistant simulated wood flooring
Double berth (1.50m x 2.05m or 59" x 80")
1 x Full height hanging locker
1 x Full height shelf locker
Vanity table/desk with storage locker under lid
Fold up vanity mirror
Drawer unit with 3 x drawers
Round Ottoman
1 x Storage drawer under bunk
Sliding entrance door with lock
LED overhead lighting
Concealed overhead rope lighting
2 x LED reading lamps over bunk
Large hull window incorporating portlight and honeycomb blind
Transom portlight in aft cabins
Carbon monoxide detector/alarm

MID CABIN (5-CABIN OPTION C1-0001)

Laminate finish with solid wood trims
Wear resistant laminate flooring
Top down bunks (Size TBD)
2 x Bedside shelf
1 x Hanging locker
1 x Storage drawer under bunk
LED overhead lighting
Concealed overhead rope lighting
2 x LED reading lamps
Overhead roller blinds for privacy
Hull window incorporating portlight and honeycomb blind
Carbon monoxide detector/alarm

HEADS COMPARTMENTS x3 (4 CABIN VERSION)

Washbasins with basin mixer and Staron top
Under-basin locker with toilet roll holder
Vanity locker with mirror
Double towel rail and hook
Sliding heads door (x 3)
Hinged door (Fwd Starboard heads only)
Coat hook on door
Dedicated trashcan locker
Shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
LED Overhead lighting
Overhead roller blinds for privacy
Electric toilets with Dual flush (Salt and Fresh)

OWNERS CABIN HEADS (4 CABIN VERSION)

Large washbasin with basin mixer and Staron top
Under basin locker (timber laminate finish)
Separate shower compartment c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage system
Electric toilet with Dual flush (Salt and Fresh)
Double towel rail and hook
Vanity locker with mirror
Dedicated trashcan locker
Sliding heads door
Overhead roller blind for privacy
LED Overhead lighting

MID CABIN HEADS (5-CABIN OPTION C1-0001)

Washbasins with basin mixer and Staron top
Under-basin locker with toilet roll holder
Vanity mirror over sink
Double towel rail and hook
Sliding heads door
Coat hook on door
Dedicated trashcan locker
Shower with lever mixer and adjustable shower rose
Shower sump with automatic drainage system
LED Overhead lighting
Overhead roller blinds for privacy
Electric toilet with Dual flush (Salt and Fresh)

UTILITY ROOM (OPTION C1-0003)

Laminate finish with solid wood trims
Wear resistant laminate flooring
L Shaped Worktop
Large open shelves
Cave lockers below worktop
Stowage space under floorboards
LED overhead lighting
Concealed overhead rope lighting
Overhead roller blinds for privacy
Hull window incorporating portlight and honeycomb blind

PORT FOREPEAK

Stowage space with access from fwd port cabin
LED touch light

STBD FOREPEAK

Stowage space with access from fwd stbd heads

ENGINE & CONTROLS

Double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 45hp diesel engines with sail drives
2 x Propellers - fixed blade
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 182USgal / 690Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm

RUDDER & STEERING SYSTEM

Balanced spade rudders
Rudder stock in stainless steel
Bearings with fibreglass rudder tube
Chain and wire steering system c/w bulkhead steering unit and brake
Destroyer-type steering wheel
Emergency tiller (s/s)

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
- 2 x Water tanks, 185USgal / 700ltr total capacity
- 2 x Fresh water pressure pump with accumulator tank
- 2 x Hot water cylinders 13USgal / 50ltr total capacity
Hot and cold transom shower
4 x Automatic shower drain pumps
3 x Holding tanks,
57USgal / 220ltr total capacity (4 and 5 cabin)
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps
2 x High water bilge float switches with alarm at switch panel
2 x Elec. bilge pumps (engine room) c/w float switch and alarm at switch panel
Water purifying filter system (Purifying water tap located at galley)
Freshwater connection

ELECTRICAL INSTALLATION

Digital monitoring with 7" Multi-function Display at helm
LED Courtesy lights at stairways and aft cockpit
LED Bi-colour & stern navlights
12v DC switch panel
1 x Double USB sockets at helm station
1 x Double USB outlets at Nav desk
1 x Double USB socket at saloon settee
2 x Double USB outlet in each cabin
1 x Magnetic mobile phone charger in saloon
4 x House batteries - 180Ah deep cycle lead acid type
2 x Engine start batteries - 96Ah lead Acid type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders
3000W 110V Inverter for convection microwave oven

RUNNING RIGGING

2 x Superbraid Main sheets (3:1 purchase)
2 x Superbraid Genoa sheets
3 x Superbraid Halyards (main, genoa & spinnaker)
2 x Superbraid Single line reefs lead aft
Main boom topping lift

MAST, RIGGING & SAILS

Natural anodized mast with standing rigging
Natural anodized crossbeam c/w mooring cleats
Wind indicator
Genoa furler
Mainsail full battened c/w 2 rows reefs
Furling genoa
Additional spare conduit with messenger in mast
Deck light
Horn
Steaming light
Anchor light

DECK FITTINGS

Guard wires with stanchions, bases, port & stbd side gates
Guard wires across bow and stern

1600w vertical windlass with capstan, 10mm gypsy & hand-held remote
Anchor bow roller fitting
Anchor chain stopper
Life raft locker
Aft cockpit seat with convertible fore/aft seat bolster
Sliding companionway door
Hardtop over fwd and aft cockpit complete with LED down lighting and concealed rope lighting in aft cockpit
Hardtop bimini over helm c/w s/s supports
Folding swimming ladder c/w teak steps
Cockpit table
Bridle mainsheet system (3:1 purchase)
Trampoline
Helm seat with upholstered base and backrest
Hardtop supports
Hatches (4C):
3 x Size 10 Flush Hatch over heads
5 x Size 44 Flush Hatch over fwd and aft cabins