L	E	Ο	F	> A	۲ F	२	D	
Ρ	\bigcirc	\sim	\vdash	R	С	A	\top	



2025 Base Price & Option List

Purchase	Suggested Package 2025			EURO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v		949 00
	DESTINATION	St Raphael, S	outh c	of France
	NUMBER OF CABINS	3		
	INTERIOR		х	
B8-1001	Upholstery Pack 1 – Faux Leather "Milk"	0	~	
B8-1003	Upholstery Pack 2 – Faux Leather "Artesian"	0		
B8-1005	Upholstery Pack 3 – Sunbrella "Pebble"	520	х	52
B8-1006	Upholstery Pack 4 – Sunbrella "Stone"	520		
38-1007 38-10MM	Upholstery Pack 5 – Subrella "Dune"	520		
B8-1008	Upholstery Pack 6 - Silvertex "Macadamia" Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	<u>520</u> 4 192		
B8-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	4 192		
38-1015	Carpets in main saloon for standard dining table. Excludes galley area. Cannot be taken with option	1 245		
	B8-1016, B8-1760, B8-1770			
B8-1016	Carpets in main saloon for optional coffee table. Excludes galley area. Cannot be taken with option	1 245		
	B8-1015, B8-1770	4.054		
38-1300 38-1301	Full length mirrors for 4-Cabin Layout (4) Full length mirrors for 3-Cabin Layout (3)	<u>1 651</u> 1 240		
B8-1400	Safe with digital combination lock	508		
B8-1600	Interior saloon blinds - front & side windows	8 200		
B8-1760	Coffee table in lieu of standard folding saloon table	0		
B8-1770	Settee converts into fold out bunk, in lieu of storage locker	1 153	х	1 15
B8-1900	Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice	669	х	66
B8-2000	ENGINES & DRIVE Yanmar 320hp engines in lieu of std 250hp engines	0.400		0.40
B8-2000 B8-2001	Yanmar 370hp engines in lieu of std 250hp engines	<u>8 492</u> 22 574	х	8 49
B8-2500	Bow thruster - Fix tunnel thruster in port bow. Comes with bow thruster controller at Flybridge Helm	15 035	х	15 03
B8-2505	Additional bow thruster controller at Internal Helm (Requires B8-2500). Not to be ordered with option	774		77
	B8-2510, B8-2515			
B8-2510	Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control (Requires B8- 2500). Bow thruster controller from option B8-2500 to be installed at Internal Helm instead of	9 870		
	Flvbridae helm. Not to be ordered with option B8-2505. B2515	10.040		
B8-2515	Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow Thruster	16 049		
	control (Requires B8-2500). Bow thruster controller from option B8-2500 will not be installed on boat. Not to be ordered with option B8-2505. B8-2510			
	NAVIGATION & ELECTRONICS			
B8-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd.	5 537	х	5 53
	cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1)			
	Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected			
	wirelessly to Raymarine MFD via the Raymarine APP) can control system	40.004		
B8-33MM	Raymarine Base Pack: Includes Ray 73 VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot	16 324		
	display at flybridge helm, 2 x AXIOM12 Multifunction displays in lieu of AXIOM7 Multifunction display			
	at Helmstation c/w retractable depth transducer			
B8-3304	Raymarine Base Pack: Includes VHF (Multizone with AIS receiver) at internal helm & additional VHF	20 301	х	20 30
	handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge	20 00 .	~	20 0
	helm, AXIOM XL16 15,6" Glass Bridge Multifunction display in lieu of AXIOM7 Multifunction display at			
	Helmstation. With retractable depth transducer			
B8-3310	Additional AXIOM XL16 15,6" Glass Bridge Multifunction display with WiFi at flybridge helm	10 789	х	10 78
	(Requires Base Pack. Not to be ordered with B8-3311/12)			
B8-3311	AXIOM XL19 Multifunction display with WiFi at flybridge helm in lieu of an AXIOM XL16 15,6" Glass	7 033		
	Bridge Multifunction display in option B8-3304 - Base pack. (Requires base pack, should not be	17 517		
B8-3312	Additional AXIOM XL19 18,5" Glass Bridge Multifunction display with WiFi at flybridge helm	17 517		
B8-3313	(Requires Base Pack. Should only be ordered with B8-3311. Not to be ordered with B8-3310) AXIOM12 Multifunction display at internal helm. (Requires Base Pack). Not to be ordered with B8-	6 196	х	6 19
0-0010	3346. (B8-3346 comes with an upgraded RV (Real Vision) AXIOM12 MFD which fulfils the functions	0 190	^	013
	of this option)			
38-3335	Autopilot Wireless remote smart controller at internal helm (Requires Base Pack)	1 589	\square	
38-3341	Digital Radar: Includes digital solid state wireless 24nm 18" Radome scanner (Requires Base Pack)	4 537	\vdash	
38-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection	7 058		
20-22/0	(Requires Base Pack) Reply(sign 3D Fichfinder: Includes RV-300 Plactic Thru-Hull transducer and 1 x AXIOM12 RV	8 475	\vdash	
B8-3346 B8-3370	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV Rear-view Raymarine camera (1) (Requires base pack)	<u>8 475</u> 1 171	х	1 17
B8-3371	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires	1 369		1 36
	base pack) in lieu of base pack GPS	1 000		
B8-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 300	х	3 30
DO				
38-41MM	110V Hard wired shore power pack: Includes 2 heavy duty 50ft 30amp shore power lines, AC switch	14 355		
	panel, 110V 5000W inverter/charger (in lieu of standard 3000W inverter), Battery management		I I	

	_			
B8-4100	110V Shore power pack: Includes 2 x 30A port and 2 x 30A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, 5000W inverter/charger (in lieu of standard 3000W inverter), Battery management system allowing monitoring on Multifunction display, AC outlets in	17 226		
B8-4110	cabins, saloon and galley 220V Shore power pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy	17 226	~	17 226
60-4110	duty 50ft shore powerlines, AC switch panel, 220V 5000W inverter/charger (in lieu of standard 3000W inverter), Hot water cylinder and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and	17 220	x	17 220
B8-4130	galley Digital Switching (110V boats). Includes 1 x AXIOM12 Multifunction display at internal helm. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all	17 339		
B8-4140	Batteries. all fluid levels. and critical Alarms. (Requires Base Pack) Digital Switching (220V boats). Includes 1 x AXIOM12 Multifunction display at internal helm. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all	16 183		
B8-42MM	Batteries. all fluid levels. and critical Alarms. (Requires Base Pack) 220V Hard wired shore power pack: Includes 2 heavy duty 50ft 30amp shore power lines, AC switch panel, 220V 5000W inverter/charger (in lieu of standard 3000W inverter), Hot water cylinder and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display. AC outlets in cabins, saloon and galley	13 398		
B8-4200	Shaver outlets in heads, 110V with GFI protection—(4) (Only for boats with 110V systems)	1 381		
B8-4201	Shaver outlets in heads, 110V with GFI protection for 3 cabin layout — (3) (Only for boats with 110V systems)	1 034		
B8-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection for 4 cabin	1 710		
B8-4211	layout—(4) (Only for boats with 220V systems) Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin	1 295		
B8-4500	lavout—(3) (Onlv for boats with 220V systems) Upgrade std Lead Acid house batteries to AGM batteries. Recommended with shore power (B8-	3 717	х	3 717
B8-4510	4100/4110, B8-41MM/42MM) One additional AGM house battery (210Ah) 5 Total. (Requires B8-4500)	1 369		
B8-4515	Two additional AGM house batteries (210Ah) 6 Total. (Requires B8-4500)	3 370		
B8-4525	Four additional AGM house batteries (210Ah) 8 Total. (Requires B8-4500)	5 750	х	5 750
B8-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B8-5750)	267	х	267
B8-4560	Lithium Ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah Lithium Ion batteries (LiFePO4). (Only for boats with shore power (B8-4100/4110, B8-41MM/42MM) or genset options (B8- 5210/5211/ 5225/5230). Recommend taking option B8-5750 with this option. Not to be ordered with B8-4500)	27 555		
B8-4602	Ventilation fans in cabins only for 4 cabin layout (4)	794		
B8-4603	Ventilation fans in cabins only for 3 cabin layout (3)	593		
B8-5211	Genset - Northern Lights 12kW (60 Hz 110V) / 10kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only	47 061		
B8-5212	for boats with shore power (B8-4100/4110, B8-41MM/42MM) Genset - Northern Lights 9kW non USA only (60 Hz 110V) / 7kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only for boats with shore power.	39 807		
B8-5220	Provision for 9kW and 12kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring).	8 451	х	8 451
B8-5250	Air-conditioning System - (2) 16 000 BTU 110V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B8-4100/41MM) or genset options (B8-5210/5211/5225/5230)	25 193		
B8-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B8-4110/42MM) or genset options (B8-5210/5211/5225/5230)	25 193	x	25 193
B8-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	8 174		
B8-5265	Provision for Air-conditioning System (2 x 16 000 BTU 220V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump. aircon and control locations)	8 174		
B8-5615	Motorized TV lift in saloon – For TVs no larger than 40 inches. Requires shore power options (B8- 4100/4110, B8-41MM/42MM)	2 587		
B8-5616	Motorized TV lift in saloon - For TVs between 40 to 50 inches. Requires shore power options (B8-	2 822	х	2 822
B8-5680	4100/4110.B8-41MM/42MM) Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet. Requires shore	602	х	602
B8-5684	power options (B8-4100, B8-4110, B8-41MM, B8-42MM) Provision for TV in all cabins (4-cabin layout only) - swing bracket & AC outlet. Requires shore power	2 396		
B8-5685	options (B8-4100/4110, B8-41MM/42MM) Provision for TV in all cabins (3-cabin layout only) - swing bracket & AC outlet. Requires shore power	1 796		
B8-5739	options (B8-4100/4110, B8-41MM/42MM) Solar panels 400w each fitted to hard top - (2)	6 537		
B8-5740 B8-5741	Solar panels 400w each fitted to hard top - (4) Solar panels 400w each fitted to hard top - (6)	<u>12 882</u> 19 327		
B8-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to	2 383		
B8-5800	house batteries (Not to be ordered with option B8-4550) Underwater Lights - 2 x Blue mounted in stern	5 154		
B8-6150	PLUMBING Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 3	1 043	x	1 043
B8-6151	cabin layout Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 4	1 391		
	cabin layout	F04		504
B8-6515 B8-6520	Sea water inlet seacock with hose led above the waterline (for future watermaker installation) Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usgal per hr, 12V	<u>561</u> 23 235	X	561
B8-6525	Watermaker: H2O ECO 600GPD Sea Recovery 95 ltr/ 25 Usgal per hr, 12V	25 933		
B8-6600	Washer/dryer (110V) installed in Port corridor. Only for boats with shore power (B8-4100/41MM) or genset options (B8-5210/5211/5225/5230)	4 123		
B8-6610	Washer/dryer (220V) installed in Port corridor. Only for boats with shore power (B8-4110, B8-42MM) or genset options (B8-5210/5211/5225/5230)	4 123	х	4 123

		-		
	Freight Delivery *	56 637	x	56 637
	Water Delivery * Post delivery commissioning	<u>62 537</u> 8 381	x	8 381
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	4 267		5 212
	USCG Safety Package including 8 man life raft, U-bolts and tie downs CE Safety Package including 8 man life raft, U-bolts and tie downs	<u>4 543</u> 5 272	x	5 272
B8-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 422		
	Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate			
B8-9950	COMMISSIONING & DELIVERY Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape	25 152	х	25 152
			<u> </u>	
B8-9920 B8-9930	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m) Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	<u>1 033</u> 1 033	х	1 033
B8-9918	Anchor bridle, shackles and hook	547	х	54
B8-9914 B8-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 381	х	
B8-9911 B8-9914	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp 230ft (70m) anchor chain in lieu of 165ft (50m) chain	<u>1 137</u> 604	Y	604
B8-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	3 073	^	1 30
B8-9903	GENERAL EQUIPMENT 55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 960	х	1 960
B8-8911	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B8-8630, B8-	36 690		
	flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B8-8630, B8-			
B8-8910	flybridge, flybridge steps, transom steps - not to be ordered with B8-8630, B8-8635 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd. cockpit,	36 690		
B8-8901	flvbridge. flvbridge steps. transom steps - not to be ordered with B8-8630. B8-8635 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit,	33 359		
B8-8900	Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd. cockpit,	33 359	T	
38-8800 38-8810	Teak flybridge table in lieu of standard GRP table	5 483 7 432		
B8-8700 B8-8800	Aft Coaming steps; Port & STBD Teak aft cockpit table in lieu of standard GRP table	<u>1 008</u> 5 483	\vdash	
B8-8635	Winch type Lifting Platform with Fixed Chocks	56 587	~	
B8-8600 B8-8630	Custom S/S davit system with tackle c/w electric winch Winch type Lifting Platform with Folding Chocks	<u>6 633</u> 56 587	х	56 58 ⁻
B8-8410	S/S dive bottle racks (2) - holds 6 bottles total	1 731		
B8-8370 B8-8400	S/S Rod holders (4) S/S dive bottle rack - holds 3 bottles	<u>1 067</u> 975		
B8-8360	S/S Flag pole holder (2)	535		
B8-8120 B8-8315	Aft cockpit back shade curtains only Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging cushions	<u>1 895</u> 2 183	\vdash	
B8-8110	Flybridge enclosure front and sides only with aft sunshade curtain	14 225	х	14 225
B8-8001 B8-8002	Exterior Pack 1 – Standard Charcoal (Grey) Exterior Pack 2 – Captain's Navy (Blue)	0	х	
28-0004	DECK & HULL Exterior Pack 1 – Standard Charcoal (Grey)		v.	
01101		3 033	X	3 03
B8-7761	be ordered with B8-7755/7740/7741/7758/7760 All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be ordered	3 633	x	3 63:
B8-7756	Icemaker (220V) installed in galley. Only for boats with shore power options (B8-4110/42MM). Not to	3 508		
B8-7755	Icemaker (110V) installed in galley. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with B8-7756/7740/7741/7758/7760	3 508	T	
B8-7753	4110/42MM). Not to be ordered with option B8-7752	3 508		
	4100/41MM). Not to be ordered with option B8-7753 Icemaker (220V) installed in flybridge wetbar. Only for boats with shore power options (B8-	3 508	$ \square $	
B8-7752	ordered with option B8-7740/7755/7756/7758/7760 Icemaker (110V) installed in flybridge wetbar. Only for boats with shore power options (B8-	3 508		
B8-7741	Wine cooler (220V) in galley. Only for boats with shore power options (B8-4110/42MM). Not to be	7 054		
B8-7740	Wine cooler (110V) in galley. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8-7741/7755/7756/7758/7760	7 493		
	(Min B8-4515, Recommended B8-4525/4560)			
B8-7731	Single Element Electric Grill: 220V on Flybridge Wetbar. Only for boats with shore power options (B8- 4110/42MM). Not to be ordered with option B8-7730. Battery upgrades recommended with this option	1 963	х	1 963
	4100, B8-41MM). Not to be ordered with option B8-7731. Battery upgrades recommended with this option (Min B8-4515. Recommended B8-4525 or B8-4560)			
B8-7730	Single Element Electric Grill: 110V on Flybridge Wetbar. Only for boats with shore power options (B8-	1 963		
	system. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8- 7715.Battery upgrades recommended with this option (Min B8-4515. recommended B8-4525/4560)			
38-7720	Two plate electric induction cooktop (220V) in lieu of 4-burner LPG cooktop and complete LPG	0	х	
	system. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8- 7720. Batterv upgrades recommended with this option (Min B8-4515. recommended B8-4525/4560)			
38-7715	Two plate electric induction cooktop (110V) in lieu of 4-burner LPG cooktop and complete LPG	0		
38-7711	HEATING, REFRIGERATION & GAS Refrigerator in Flybridge Wetbar - 12V.	2 474	х	2 47
	-	511		57
B8-6800 B8-6850	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water Stern shower: Hot/cold water in lieu of cold only	<u>1 321</u> 377	x x	<u>1 32</u> 37
38-6710	4110/42MM). Not to be ordered with option B8-6700	4 125	х	4 12
00 6710	4100/41MM). Not to be ordered with option B8-6710 220V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8-	4 125	~	4 1 2
38-6700	110V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8-	3 096		

Total Options	329 351
Total Purchase Price (ex-tax)	1 278 351

Exceptional

Dealer

Exceptional Rebate		195 851
Total Purchase Price after Rebate (ex-tax)		1 082 500
Total Purchase Price including Tax		1 299 000
Purchaser	Date	
Purchaser	Date	

Date

*In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer. Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT

LEOPARD 46

MAIN SPECIFICATIONS

Length overall Length overall (including Platform) Length Waterline Beam max	47'5" / 14.44m 46'2" / 14.06m
Draft (half load) Bridgedeck Clearance (half load) Overall Height above Water Line, including Nav Light Pole (Half load)	···2'6" / 0.75m
Saloon Living Area	237.6sqft / 22sqm
Displacement (Light ship) Load carrying capacity	
Fresh water capacity Fuel capacity Holding tank capacity	··· 475gal / 1800l
Standard Engine	Yanmar 4LV250
Engine Max Power Engine Number of Cylinders Note: Speed and range figures can vary depending on measurement conditions and fuel quality.	

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finishes with solid wood trims Folding saloon table with two fixed legs Settee - L-shape Sofa on starboard Wear resistant laminate flooring LED overhead lighting Stowage space under stbd settee cushions Front doorway access to foredeck

GALLEY

Staron galley worktop surfaces Single lever mixer faucet with pull out sprayer Single s/s sink Dish and cutlery drying recess with drainage Double door domestic fridge with icemaker 4-burner hob Convection microwave oven Gas solenoid shut-off valve with control at switch panel & warning light at cooker Gas detectors in each hull connected to alarm in saloon Gas cylinder regulator in dedicated LPG locker Separate garbage bin locker Stowage space in shelf lockers Spice rack 4 x Galley drawers 1 x Pot storage drawers Smoke detector / alarm Carbon monoxidedetector / alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls LED overhead lighting Helm seat c/w backrest integrated with starboard sofa

CABINS x 4 (4 CABIN VERSION)

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Hanging locker with lower shelf LED overhead lighting LED reading lamps Overhead roller blinds for privacy Large open shelves Stowage drawers under bunk Large hull window incorporating portlight and slatted blind Transom windows with slatted blind (aft cabins only) Carbon monoxide detector / alarm

OWNER CABIN (3 CABIN VERSION)

Laminate finishes Queen size berth (2025mm x 1720mm or 80" x 68") Bedside tables Headboard Large double door wardrobe Vanity table/desk with drawers under Sliding entrance door with lock LED reading lamps Carbon monoxide detector / alarm Large hull window incorporating portlight and slatted blind Transom windows with slatted blind

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top Vanity locker with mirror Towel rail Shower area c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Overhead roller blinds for privacy Hull window with slatted blind Electric Toilets - salt water flush

OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top Mirror Towel rail Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower rose Shower sump with automatic drainage LED Overhead lighting Hull window with slatted blind Electric Toilets - salt and water flush

ENGINE & CONTROLS

Double lever throttle / gearshift control Sound deadening panels in engine room 2 x Engine room ventilation fans and ducting 2 x Yanmar 250HP diesel engines 2 x Propellers - 4-blade fixed 2 x Fuel deck fillers 2 x Fuel deck fillers 2 x Fuel filter / water separators 2 x Fuel tanks 489USgal / 1852Ltr total capacity 2 x Exhaust skin fittings (s/s) 2 x Exhaust skin fittings (s/s) 2 x Cooling water inlet strainers 2 x Cooling water temperature sensors with audible alarms at helm 2 x Moisture eliminating grilles DECK FITTINGS

Guard railing (s/s) 2 x Pushpits (s/s) 2 x Pulpit seats (port & stbd) 2000w vertical windlass 10mm gypsy c/w hand held remote Anchor bow roller fitting for primary anchor Anchor bow roller fitting for secondary anchor Anchor chain stopper 1 x Chain locker 1 x Anchor/windlass locker 2 x Foredeck lockers Gas cylinder locker Sliding companionway door Hardtop over aft cockpit U-shaped settee in aft cockpit with cushions and bolster Table in aft cockpit 2 x Stainless Steel Directors chairs Swimming ladder Acrylic smoke grey tinted windows Hatches: 2 x Size 60 Flush Hatch over cabins Portlights: 8 x Size 1 in hull side Foredeck lounging area c/w watertight saloon access door and 2 x fwd facing sun loungers 4 x Drinks holders in forward cockpit 2 x Coachroof handrails (s/s) 2 x Aft hardtop grab handles (s/s) 1 x 300mm mooring cleat in anchor locker 10 x 300mm s/s mooring cleats FLYBRIDGE

Helm station console - Includes steering and enigne controls Staircase from aft cockpit to flybridge with LED courtesy lighting 1 x Staircase stainless steel grab handle U-shaped upholstered settee Wetbar unit with sink and faucet and GRP worktop Life raft locker Stowage locker in wetbar Central fixed cocktail table with drink holder recess Guard railing around aft section of flybridge (s/s) Acrylic windscreen around fwd section of flybridge Hardtop over flybridge Hardtop supports Overhead lighting Drinks holders Sunbed aft of settee Stowage beneath settee cushions Forward facing lounge settee on port

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways LED Bi-colour & stern navlights

- 12v DC switch panel
- 1 x 12v outlet sockets at helm station
- 1 x Double USB sockets at helm station
- 1 x Double USB sockets at nav desk
- 1 x Double USB socket in each cabin
- 1 x Wireless mobile phone charger in saloon
- 4 x House batteries 180Ah deep cycle lead acid type 4 x Engine starter batteries - 100Ah AGM type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station
- Digital monitoring including
- 1 x Axiom 7" Multifunction Display at helm for digital systems monitoring 3000W 110V Inverter for convection microwave oven 1200W - 110V or 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of: 2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges 2 x Fresh water pressure pump with accumulator tank 2 x Hot water cylinders, 13USgal / 50ltr total capacity Transom shower (cold only) 4 x Automatic shower drain pumps (3 for 3-cabin layout) Holding tanks, 45USgal / 170ltr total capacity 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel 2 x Manual bilge pumps 2 x High water bilge float switches with alarm at switch panel 2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel Freshwater connection Water purifying filter system - Purifying water tap located at galley

RUDDER & STEERING SYSTEM

Balanced spade rudders in stainless steel Rudder stock in stainless steel Bearings with fibreglass rudder tube Hydraulic steering system Soft-grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers Automatic Extinguishing system for engine rooms Owner's Operating Manual CE Certification NMMA Certification