

# 2025 Base Price & Option List

Purchaser	ORDER 2025		E	URO
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	1	209 000
	DESTINATION	St Raphael, Sou	uth of Fra	nce
	NUMBER OF CABINS	3		
	INTERIOR		х	
B5-1001 B5-1003	Upholstery Pack 1 – Faux Leather "Milk"  Upholstery Pack 2 – Faux Leather "Artesian"	0		
B5-1005	Upholstery Pack 2 – Faux Leather "Artesian" Upholstery Pack 3 – Sunbrella "Pebble"		х	582
B5-1006	Upholstery Pack 4 – Sunbrella "Stone"	582	X	002
B5-1007	Upholstery Pack 5 – Sunbrella "Dune"	582		
B5-10MM B5-1008	Upholstery Pack 6 - Silvertex "Macadamia"  Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	582 4 271		
B5-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	4 271		
B5-1015	Carpets in main saloon. Excludes galley area	1 271		
B5-1300 B5-1301	Full length mirrors for 4-Cabin Layout (4)	1 683 1 263		
B5-1352	Full length mirrors for 3-Cabin Layout (3) Forepeak berth & heads - port forepeak includes mattress (1), A/C electric outlet (1), USB ports	8 399		
20 1002	(2), Fire Extinguisher (1), Air Conditioning (subject to option B5-5256 or B5-5257 being selected). Stbd forepeak includes basin with faucet & mirror, electric (Freshwater) heads with	0 000		
B5-1400	dedicated holding tank, Shower with automatic sump drain. Access from deck hatches only.  Safe with digital combination lock	518		
B5-1600	Interior saloon blinds - front & side windows	8 350		
B5-1760	Coffee table in lieu of standard folding saloon table	0		
B5-1900	Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice	683	Х	683
B5-2500	ENGINES & DRIVE  Bow thruster - Fix tunnel thruster in port bow.	14 712	х	14 712
B5-2505	Additional bow thruster controller at Internal Helm (Requires B5-2500). Not to be ordered with		X	774
	option B5-2510/2515			
B5-2510	Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control (Requires B5-2500). Bow thruster controller from option B5-2500 to be installed at Internal Helm instead of Flybridge helm. Not to be ordered with option B5-2505/15	9 870		
B5-2515	Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow	16 049		
	Thruster control (Requires B5-2500). Bow thruster controller from option B5-2500 will not be installed on boat. Not to be ordered with option B5-2505/10			
B5-3200	NAVIGATION & ELECTRONICS  Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2),	F 470	. 1	E 470
D0-3200	fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd. cockpit (1), aft cockpit (1) &	5 172	x	5 172
	flybridge (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices			
DE 001414	(only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	40.000		
B5-33MM	Raymarine Base Pack: includes Ray 73 VHF (Multizone with AIS receiver) at Navstation & additional VHF handset at helm, p70 colour autopilot display, 2 x AXIOM12 Multifunction	16 626		
DE 0004	displays in lieu of AXIOM7 Multifunction display at Helmstation c/w retractable depth transducer	00.070		00.070
B5-3304	Raymarine Base Pack: includes VHF (Multizone with AIS receiver) at nav desk & additional VHF handset at helm, p70 colour autopilot display, RS150 GPS, AXIOM XL16 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	20 678	x	20 678
B5-3310	Additional AXIOM XL16 Multifunction display with WiFi at helm (Requires Base Pack)	10 989		
B5-3311 B5-3312	AXIOM XL19 Multifunction display with WiFi at helm in lieu of an AXIOM XL16 Multifunction	7 164 17 843		
	Additional AXIOM XL19 Multifunction display with WiFi at helm (Requires Base Pack. Can only be taken in conjenction with B5-3311. Not to be taken with B5-3310)			
B5-3313	AXIOM12 Multifunction display at Internal station in saloon. (Requires Base Pack). Cannot be taken with B5-4130 or B5-4140 unless B5-3400 option is taken. Not to be ordered with B5-3346.	6 321	Х	6 321
B5-3335	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1 619		
B5-3336	p70R Rotary Autopilot controller and second throttle at Nav station (Requires base pack). Not to be taken with B5-3400.	9 489		
B5-3341	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner (Requires Base	4 619		
B5-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance	7 058		
B5-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV	8 475		4.400
B5-3370 B5-3371	Rear-view Raymarine camera (1) (Requires base pack) Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS		X X	1 192 1 396
	(Requires base pack) in lieu of base pack GPS			
B5-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	3 363	Х	3 363
B5-4120	BLECTRICAL  8kW 220V Isolated Shore Power - Includes 8kW isolation transformer with voltage booster function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter options). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC switch panel. Up to 8kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5-4128 can be taken with this option)	12 587	х	12 587
B5-4125	12kW 220V Isolated Shore Power - Includes 12kW isolation transformer with voltage booster function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter option). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC switch panel. 11kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5-4128 can be taken with this option)	15 197		

B5-4127	US Reverse Y Shore Power Adapter. For connection to 2 x US 30A shore supplies. 6.6 kW	765		
B5-4128	available power  European Shore power adapter. For connection to 1 x 220V 32A power supply. 7kW available	607	Х	607
	· · · · · · · · · · · · · · · · · · ·		^	007
B5-4130	Digital Switching (8kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems.	16 484		
	Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote			
	monitoring and control. (Requires Base Pack). Cannot be taken with B5-3313 unless B5-3400			
B5-4140	Digital Switching (12kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk.	16 484		
	2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems.			
	Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote			
	monitoring and control. (Requires Base Pack). Cannot be taken with B5-3313 unless B5-3400			
B5-4145	Universal outlet sockets in lieu of standard regional sockets. Must be taken with option B5-4320	0	Х	0
DE 4440	or B5-4325	047		
B5-4148	Cordless Remote control (keyring type) for retractable shore power cable. Includes 1 remote control. (Only for boats with shore power option)	817		
B5-4160	Battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power or genset	3 152	х	3 152
D3-4100	options)	3 132	^	3 132
B5-4165	Additional battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power	3 152		
	or genset options) (Requires B5-4160)			
B5-4200	Shaver outlets in heads, 110V with GFI protection—(4) (Only for boats with 110V systems, option B5-4320)	1 407		
B5-4201	Shaver outlets in heads, 110V with GFI protection for 3 cabin layout — (3) (Only for boats with	1 054		
20 .20 .	110V systems, option B5-4320)	. 55 .		
B5-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(4) (Only	1 741		
DE 1011	for boats with 220V systems, option B5-4325)			
B5-4211	Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin	1 319		
B5-4320	layout—(3) (Only for boats with 220V systems, option B5-4325) 3000W 110V/60Hz inverter. Includes 110V region specific outlet sockets with integrated USB's	6 913		
D0 4020	at specified locations (Only for boats with shore power or genset and option B5-4160.	0 3 1 3		
	Recommend taking option B5-4515 along with this option)			
B5-4325	3000W 220V/50Hz inverter. Includes 220V region specific outlet sockets with integrated USB's	6 913	х	6 913
	at specified locations (Only for boats with shore power or genset and option B5-4160.			
DE 4400	Recommend taking option B5-4515 along with this option)	5.40		
B5-4400	Battery monitor to provide status on house batteries. Not to be taken with options B5-4130, B5-4140 and B5-4560	546		
B5-4500	Upgrade std Lead Acid house batteries to AGM batteries	3 788	х	3 788
B5-4510	One additional AGM house battery (210Ah) 5 Total. (Requires B5-4500)	1 396	^	3 700
B5-4515	Two additional AGM house batteries (210Ah) 6 Total. (Requires B5-4500)	3 432	Х	3 432
B5-4525	Four additional AGM house batteries (210Ah) 8 Total. (Requires B5-4500)	5 856		
B5-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not	271	х	271
B5-4560	to be ordered with option B5-5750)  Lithium ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah lithium ion	28 067		
D3- <del>4</del> 300	batteries (LiFePO4), 100A charging capacity (2 x 50A IP43 Chargers), battery monitor &	20 007		
	management system with colour display. (Only for boats with shore power or genset options)			
	Recommend taking option B5-5750 along with this option. Not to be ordered with B5-4160/5 or			
B5-4600	Ventilation fans in cabins only for 3 cabin layout	627		
B5-4601 B5-5211	Ventilation fans in cabins only for 4 cabin layout  Genset – Northern Lights 12kW supplied from port fuel tank. Fuel transfer ability from stbd to	808 47 930		
D3-3211	port tank. Only for boats with shore power pack	47 930		
B5-5215	Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling	8 611	Х	8 611
	water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats			
D	with shore power pack	10.700		40.700
B5-5256	Chilled Water Air Conditioning (3 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x	43 790	х	43 790
	30000BTU/h and 3 x 5000BTU/h air handlers with 4 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options)			
B5-5257	Chilled Water Air Conditioning (4 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x	44 043		
	30000BTU/h, 4 x 5000BTU/h air handlers with 5 x digital control panels. Raw water and coolant			
	circulation pumps. (Only for boats with shore power or genset options)			
B5-5260	Provision for air conditioning (3 cabin). Includes ducting, vents, raw water hoses with thru hull	3 938		
B5-5265	fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping.  Provision for air conditioning (4 cabin). Includes ducting, vents, raw water hoses with thru hull	3 938		
D3-3203	fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping	3 930		
B5-5615	Motorized TV lift in saloon – For TVs no larger than 40 inches (Requires B5-4320 or B5-4325 for	2 636		
	AC power requirements)			
B5-5616	Motorized TV lift in saloon – For TVs between 40 to 50 inches (Requires B5-4320 or B5-4325	2 875	Х	2 875
DE 5000	for AC power requirements)	040		040
B5-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements)	612	Х	612
B5-5684	Provision for TV in all cabins (4-cabin layout only) - swing bracket & AC outlet (Requires B5-	2 441		
	4320 or B5-4325 for AC power requirements)			
B5-5685	Provision for TV in all cabins (3-cabin layout only) - swing bracket & AC outlet (Requires B5-	1 828		
B5-5739	4320 or B5-4325 for AC power requirements)	6 611		
B5-5740	Solar panels 400w each fitted to hard top - (2) Solar panels 400w each fitted to hard top - (4)	12 882		
B5-5741	Solar panels 400w each fitted to hard top - (6)	19 327		
B5-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to	2 426		
DE 5000	house batteries (Not to be ordered with option B5-4550)	F 050		
B5-5800	Underwater Lights - 2 x Blue mounted in stern	5 250		
	PLUMBING			
B5-6160	PLUMBING Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water	745	х	745
B5-6160	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout		Х	745
	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water	745 996	х	745
B5-6160	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 4C layout	996	X	
B5-6160 B5-6161	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water			745 382

Be-6910   Watermaker, Sportan Newport 400 (12 voll. 63 http://dx.jpap.peh.n.n.nd.MPC-3000 controller specimen plas scriptions (2014). All membrane proteins on specime 1 and	Section   Discontinual Z-I/ON membrane protection available for future viatermaker installation   292 x 292 x 292					
Section   Sea water into teapook with hose led above the waterine (for future watermaker insellation)   220   226	September   Sept	B5-6510		32 327		
Be-5600   Watermaker Sea Recovery 117 (rol's) Usagal por In. 220 (Can only be taken with Garset or Sea Recovery 117 (rol's) Installation in Port control. Must be taken with: 110 / Inverter (BS-4220) and 4 197   x 4 197   B8-5610   Watermaker (197 (rol's) Installation in Port control. Must be taken with: 220 / Inverter (BS-4320) and 4 197   x 4 197   B8-5610   Watermaker (BS-4160)   Sea (BS-5610)   Sea (BS-561	Be-5600   Watermaker Sea Recovery 11 Prof 1 Usgal per In 220 (Can only be taken with Censet or 1	DE 6515		202	, , l	202
Shore Power Orbitonal Share-Critical Power (1994) (1904) intestiled in Port corridor. Must be taken with: 1010/ inventer (86-4320) and 14 (197)	Shore Power Octobroms   Shore Power Octobroms   Shore Power (1974)   statellated in Port corridor, Must be taken with: 110V inverter (85-4320) and   4 197   X   4 197   Shore (1974)				Х	292
Balleter Chancer (85-4150)	Battery Chargor (BS-4190)   Sale (BS-6100)   Sale (					
Section   Sect	Section   Sect	B5-6600		4 197		
Bester / Character (16 - 14 60)	Betrow Character (18-41-60)	B5-6610		4 197	х	4 197
85-6800   20/0 Dishwasher in Galley (Requires BS-4325)   85-6800	85-6800	20 00.0			^	
1.244   X   1.344   X   1.346   X   3.565   X   3.56	Duck wash fitting 8 pump - trippie wash - dual freshriatt water system on foredeck and fresh free routies on thirtide and in all cocked in the Strand Provided and the Cocked in Strand Province and in all cocked in Strand Province and in all cocked in Strand Province and in all cocked in Strand Province and Indiana Strand Province and Provinc					4.004
Be-6860   Water outlets on fiverinde and in aft cockpit   Sale	### Water outlets on flythridea and in at cockpit ### Str711 ### Str715 ### Str715 ### Str715 ### Str716 ### S					
HEATING.REFRIGERATION & GAS   Refrigerator in Flythride Wieber - 12V   Refrigerator - 12V   Refrige	HEATING, REFRIGERATION & GAS	20 0000	9 1 1 11		^	1011
B5-7711   Refineration in Flybrindiae Wether - 12V   row plate electric induction cooking (110V) in lieu of 4-burner LPG cooking and complete LPG system. Only for boats with inverter option (B54-32D). Additional battery charger option must be septiment of the plate of the pla	B5-7711   Refrigaration in Pubridical Weibara - 12V   Pubridical Weibara	B5-6850	Stern shower: Hot/cold water in lieu of cold only	386		
B5-7711   Refineration in Flybrindiae Wether - 12V   row plate electric induction cooking (110V) in lieu of 4-burner LPG cooking and complete LPG system. Only for boats with inverter option (B54-32D). Additional battery charger option must be septiment of the plate of the pla	B5-7711   Refrigaration in Pubridical Weibara - 12V   Pubridical Weibara		HEATING. REFRIGERATION & GAS			
system. Only for boats with Inverter option (B5-4320). Additional battery charger option must be taken (B6-4166).  Electric Grill: 229V in Flybridge Webtar. (Can only be taken with option B5-4320. Not to be ordered with B5-7636.  B5-7740 Wine coaler (110V) in galley (Can only be taken with option B5-4320. Not to be ordered with B5-7753 coalers (220V) in galley (Can only be taken with option B5-4320. Not to be ordered with B5-7753 coalers with option B5-4320. Not to be ordered with B5-7753 coalers with option B5-7754 coalers with a b5-7754 coalers with a b5-7754 coalers with option B5-7754 coalers with B5	system. Only for boats with Inverser option (BS-4320). Additional battery charger option must be taken (BS-4186). Electric GRII: 2207 to 1797 pt. 1865 pt. 1867-740 pt. 1867-741 pt. 1867-741 pt. 1867-741 pt. 1867-742 pt. 1867-742 pt. 1867-742 pt. 1867-743 pt. 1867-7		Refrigerator in Flybridge Wetbar - 12V		Х	2 521
Lisken (B8-1465).	taken (18.4-185).  B5-7731   Laken (18.4-185).  B5-774   Winc cooler (1010) in galley (Can only be taken with option B5-4320. Not to be ordered with B5-7638    B5-774   Winc cooler (2000) in galley (Can only be taken with option B5-4320. Not to be ordered with B5-7638    B5-7752   Canamier (1000) installed in flyindige websar. (Can only be taken with option B5-4320). Not to be ordered with B5-87752   Laken with option B5-7753   Laken with option B5-7753   Laken with option B5-7753   Laken with option B5-7754   Laken with option B5-7754   Laken with option B5-7755   Laken with option B5-7755   Laken with option B5-7755   Laken with option B5-7756   Laken with option B5-4325. Not to be ordered with B5-7764   Laken Winch W5-7761   Laken W5-7761	B5-7715		0		
Electric Giffl: 220V on Flybridge Webbar. (Can only be taken with Genset or Shore Power With Schrode (Can only be taken with option B5-4320 Not to be ordered with B5-740 (1907) in galley (Can only be taken with option B5-4320.) Not to be ordered with B5-740 (1907) insalled in flybridge webbar. (Can only be taken with option B5-4320) Not to be detected with B5-740 (1907) insalled in flybridge webbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7753 (1907) insalled in flybridge webbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7755 (1907) insalled in galley. (Can only be taken with option B5-4325). Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with option B5-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-7756 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-8560 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-8560 (1907) insalled in galley. (Can only be taken with option B5-4320. Not to be ordered with 05-8560 (1907) insalled in galley. (Can only be taken with 05-8560 (1907) insalled in galley. (Can only be ordered with 05-8560 (1	B5-7741   Electric Getil: 220V on Flybridge Welbar. (Can only be taken with Gensel or Shore Power with B5-7640   Flybridge Steps. 19   Flybridge Welbar. (Can only be taken with option B5-4320. Not to be ordered with B5-76360   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with B5-7740   Flybridge Welbar. (Can only be taken with option B5-4320). Not to be as a 573   Flybridge Welbar. (Can only be taken with option B5-4320). Not to be ordered with option B5-7783.   Flybridge Welbar. (Can only be taken with option B5-4320). Not to be ordered with option B5-7783.   Flybridge Welbar. (Can only be taken with option B5-4320). Not to be ordered with option B5-7783.   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7784.   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7784.   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7784.   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7784.   Flybridge Welbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7784.   Flybridge Welbar. (Flybridge					
17741/556/56/86/80    B5-7741   Wine cooler (20V) in galley (Can only be taken with option B5-4325. Not to be ordered with B5-7740/55/65/63860    B5-7752   taken with option B5-7752   taken with option B5-4325. Not to be ordered with option B5-7753   taken with option B5-7755   taken with option B5-7755   taken with option B5-7756   taken with option B5-7756   taken with option B5-7756   taken with option B5-77576   taken with option B5-7756   taken with option B5-77576   taken with b5-777576   taken with b5-777576   taken with b5-777576   taken with b5-7775776   taken with b5-777577776   taken with b5-777577777777777777777777777777777777	7741/55/65/68/69/00 B5-7740 F740/55/65/68/60 B5-7752 International C200y in galley (Can only be taken with option B5-4325. Not to be ordered with B5- F740/55/65/68/66/00 B5-7753 International C200y in galley (Can only be taken with option B5-4320) Not to be a considered with option B5-7753 taken with option B5-7753 taken with option B5-7753 taken with option B5-7753 by taken with option B5-7754 to consider (2001) installed in flybridge westpar. (Can only be taken with option B5-4320. Not to be ordered with B5-77504 by the B5-77504 by th		Electric Grill: 220V on Flybridge Wetbar. (Can only be taken with Genset or Shore Power		Х	3 781
B5-7741   Wine cooler (220V) in galley (Can only be taken with option B5-4325). Not to be ordered with B5-7752   Icemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be taken with option B5-7753   Icemaker (220V) installed in flybridge wetbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7753   Icemaker (220V) installed in galley. (Can only be taken with option B5-4325). Not to be ordered with option B5-7754   Icemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-7761   Icemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-7761   Icemaker (110V) installed in galley with adjustable fridge or freezer function 12V (Not to be 14039 x 14039	B5-7741   Wine cooler (220V) in galley (Can only be taken with option B5-4325. Not to be ordered with B5-7752   Icemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be   3 573   Icemaker (120V) installed in flybridge wetbar. (Can only be taken with option B5-4325). Not to be   3 573   Icemaker (220V) installed in galley. (Can only be taken with option B5-4325). Not to be   3 573   Icemaker (220V) installed in galley. (Can only be taken with option B5-4325). Not to be ordered with option B5-7752   Icemaker (110V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with D5-7756   Icemaker (110V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with D5-7756   Icemaker (110V) installed in galley with adjustable fridge or freezer function 12V (Not to be   4 0.39   X	B5-7740	, , , , , , , , , , , , , , , , , , , ,	7 636		
### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/556/56/86/00  ### 1740/55/56/86/00  ### 1740/56/56/96/00  ### 1740/56/56	7740/55/65/68/69/0  B5-7762   Caemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be taken with option B5-7753   taken with option B5-7753   conclared with option B5-7754   conclared with option B5-7754   conclared with option B5-7755   conclared with option B5-7756   conclared with option B5-7757   conclared with option B5-7756   conclared with option B5-7757   conclared with D5-7757   conclared with	R5-77/1	<i>'</i>	7 195		
Ecemakor (110V) installed in flybridge wetbar. (Can only be taken with option BS-4320). Not to be   3 573	B5-7752   Locamaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be 3 573   Locamaker (220V) installed in flybridge wetbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7752   Locamaker (110V) installed in galley. (Can only be taken with option B5-4325). Not to be ordered with option B5-7752   Locamaker (110V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with 150F3740/41/55(5860)   Locamaker (110V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with 150F3740/41/55(5860)   Locamaker (110V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with 150F3740/41/55(5860)   Locamaker (110V) installed in galley with adjustable fridge or freezer function 12V (Not to be 14 0.39 x 4 0.39 x	B3-7741		7 100		
Ecomakor (220V) installed in flybridge wether. (Can only be taken with option B5-4325). Not to be ordered with option B5-7755	Ecmaker (220V) installed in flybridge wether. (Can only be taken with option B5-4325). Not to be ordered with othor B5-7755	B5-7752	Icemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be	3 573		
ordered with option B5-7752 b5-7755 locamaker (1101) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-77601/1/s65/86/80) b5-7756 b5-7760 b5-77601 installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77601/s65/86/80) b5-87761 lall-in-one findge installed in galley with adjustable fridge or freezer function 12V (Not to be 4.039 x 4.03	ordered with option B5-7752 bernaker (1707) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-77601 (bernaker (2007) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77601 (bernaker (2007) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77601 (bernaker (2007) installed in galley. (Ican only be taken with option B5-4325. Not to be ordered with B5-77601 (bernaker (2007) installed in galley. with adjustable fridge or freezer function 12V (Not to be 4039) x 4039.    DECK & HULL	DE 7750		0.570		
B5-7755   Icemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-77640 Its/656960)   B5-7761   Air-in-one fridge installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77641 (Institute in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77641 (Institute in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77641 (Institute in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-77641 (Institute in galley. (Can only be taken with adjustable fridge or freezer function 12V (Not to be 4039) x 4 039	B5-7755   clemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-7704/15/65/96/00   clemaker (220V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-7704/15/55/96/00   shift-in-orderidge installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-7704/15/55/96/00   All-in-orderidge installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-7804/15/55/96/00   4 0.39 x 4 0.39 x 4 0.39   x 4 0.39	B5-7753		35/3		
Elemaker (220V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-7740t1 4/55/58/60)   All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be	Icemaker (220V) installed in galley. (Can only be taken with option 85-4325. Not to be ordered with B5-774014/85/58/80.)   B5-7761	B5-7755		3 573		
B5-7761	### B5-7761   Alli-none fridge installed in galley with adjustable fridge or freezer function 12V (Not to be					
All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be   4 039   x 4 039	All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be 4 039 x 4 039 x 4 039 because in the content of the content	B5-7756		3 573		
BS-8110	BS-8110	B5-7761		4 039	х	4 039
BS-8110	BS-8110					_
B5-8120	BS-8120 Aft cockpit back shade curtains only Foredeck lounging cushions SiS-8315 Froedeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging Cushions Cushions SiS Flag pole holder (2) SiS Flag pole holder (2) SiS Flag pole holder (2) SiS Flag pole holder (3) SiS flag bottle ack - holds 4 bottles SiS-8400 SiS flag bottle rack - holds 4 bottles SiS-8530 SiS flag bottle rack - holds 4 bottles SiS-8530 Winch type Lifting Platform with Floring Chocks SiS-9530 Winch type Lifting Platform with Floring Chocks SiS-9530 Winch type Lifting Platform with Floring Chocks SiS-9530 Minch type Lifting Platform with Floring Chocks SiS-9530 Minch type Lifting Platform with Floring Chocks SiS-9530 SiS-9530 Minch type Lifting Platform with Floring Chocks SiS-9530 SiS-9530 Minch type Lifting Platform with Floring Chocks SiS-9530 SiS-9	B5-8110		14 489	I I	
Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivordocchit, fivordoge, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-863 / B6-863 / B6-891	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps. Should only be ordered with B5-8630 / B5-8910   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8931   S5-9930   S5-8931   S5-9930   S5-8931   S5-9930   S5-8931   S5-9930   S5-8931   S5-9930   S5-8931   S5-9930   S5-8931					
85-8360   S/S Flaq pole holder (2)   5.45   1.088	85-8360   S/S Flag pole holder (2)   1.098	B5-8315		2 224		
1.088     1.088     1.088     1.088     1.088     1.082     1.08	1	B5-8360			-	
BS-8400   S/S dive bottle rack c   - holds 4 bottles   2.351	1322					
S5-850	B5-8550   Flybridge Stairway Hatch   2.890     68.919		` '			
BS-8830   Winch type Lifting Platform with Floding Chocks   BS-910   Winch type Lifting Platform with Fixed Chocks   BS-9700   Minch type Lifting Platform with Fixed Chocks   BS-9700   Minch type Lifting Platform with Fixed Chocks   BS-9801   1008   10	BS-8630   Winch type Lifting Platform with Floding Chocks   G8 919   X   G8 91   SE-8635   Winch type Lifting Platform with Fixed Chocks   G8 919   Minch type Lifting Platform with Fixed Chocks   Minch type Lifting Platform with Fixed Chocks   General Edul Platform with Fixed Chocks   Gen					
BS-835 Winch type Lifting Platform with Fixed Chocks BS-8700 Aft Coaming step: Port & STBD BS-8701 Teak aft cockpit table in lieu of standard GRP table BS-8810 Teak flybridge table in lieu of standard GRP table BS-8820 Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs BS-8830 Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs BS-8830 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fived cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without BS-8630 / BS-8635 BS-8901 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fived cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without BS-8630 / BS-8635 BS-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without BS-8630 / BS-8635 BS-8911 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with BS-8630 / BS-8635 BS-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with BS-8630 / BS-8635 BS-8911 Sib (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain BS-9915 Sib (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain BS-9916 Sib (25kg) Bitany anchor c/w 26ft (8m) chain & 230ft (70m) anchor chain in lieu of 165ft (50m) chain BS-9917 Sib (16kg) Bitany anchor c/w 26ft (8m) chain & 230ft (70m) anchor chain in lieu of 165ft (50m) chain BS-9918 Sib (16kg) Bitany anchor chain in lieu of 16tft (50m) chain BS-9910 Sib (25kg) Anchor c/w 26ft (8m) chain & 256ft (8m) chain & 2	BS-835 Winch type Lifting Platform with Fixed Chocks BS-8700 Aft Coaming step: Port & STBD BS-8701 Teak aft cockpit table in lieu of standard GRP table BS-8810 Teak flybridge table in lieu of standard GRP table BS-8820 Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs BS-8830 Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs BS-8830 Composite teak decking (Colour. Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 BS-8901 Composite teak decking (Colour. Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 BS-8910 Composite teak decking (Colour. Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 BS-8910 Composite teak decking (Colour. Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635 BS-8911 Composite teak decking (Colour. Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635 BS-8910 Sible (25kg) Data anchor of 45kf (50m) chain BS-9910 Sible (25kg) Stainless steel DTX anchor of w 165ft (50m) galvanised chain BS-9911 Sible (25kg) Britany anchor of w 25ft (flybridge) chain & 200ft (61m) warp BS-9914 Sible (25kg) Britany anchor of w 165ft (50m) chain BS-9915 Sible (25kg) Britany anchor of w 165ft (50m) chain BS-9916 Sible (25kg) Britany anchor of w 165ft (50m) chain BS-9917 Sible (25kg) Britany anchor of w 165ft (50m) chain BS-9918 Anchor bridle, shackles and hook BS-9918 Anchor bridle, shackles and hook BS-9919 Black fenders (6), white mooring lines (4, 16mm x 10m), white spri				v	68 010
B5-8700	B5-8700 Att Coaming step: Port & STBD B5-8800 Teak att ocokpit table in lieu of standard GRP table B5-8810 Teak flybridge table in lieu of standard GRP table B5-8820 Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs B5-8900 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 B5-8910 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 B5-8910 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635 B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-863635 B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8600 /					00 919
B5-8810   Teak flybridge table in lieu of standard GRP table with two additional director's chairs   Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs   Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, five cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, five cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with Biack caulking) in aft cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with Biack caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   S636	B5-8810   Taak flybridge table in lieu of standard GRP table with two additional director's chairs   Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs   Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8636   S58635   S					
B5-8820	B5-8820					
B5-8830 Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs B5-8900 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Sibl (25kg) Delta anchor c/w 165ft (50m) chain as 1997 x 1997	B5-8830 Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 S5Ib (25kg) Delta anchor c/w 165ft (50m) chain and step step step step step step step step					
B5-8900   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8631   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630   S5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630   S5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630   S5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybrid	B5-8900   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8630   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   S56515 (25kg) Stainless steps   Txansport cockpit, fwd cockpit, fw					
B5-8901 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-9903 ESENERAL EQUIPMENT  S5lb (25kg) Della anchor c/w 165ft (50m) chain  S5lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain  3 131  B5-9911 35lb (16kg) Britiany anchor c/w 26ft (8m) chain & 200ft (61m) warp  1 155  B5-9914 230ft (70m) anchor chain in lieu of 165ft (50m) chain  330ft (100m) anchor chain in lieu of 165ft (50m) chain  330ft (100m) anchor chain in lieu of 165ft (50m) chain  45-9918 Anchor bridle, shackles and hook  Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051 x 10	B5-8901 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635 B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635 B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Sib (25kg) Delta anchor c/w 165ft (50m) chain converted with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybrid					
B5-8901 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-86	B5-8901 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8638 B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8633 B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fivd cockpit, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8630 / B5-8630 / B5-8635   S5ib (25kg) Delta anchor c/w 165ft (50m) chain   1.997 x 1.997   1.997					
flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8633 / B5-8635   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   Colour c	flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635  B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, flyd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flyd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  GENERAL EQUIPMENT  B5-9903 55lb (25kg) Delta anchor c/w 165ft (50m) chain  S5lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain  3131 3131  B5-9911 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp  1155 51  B5-9915 330ft (70m) anchor chain in lieu of 165ft (50m) chain  B5-9915 330ft (100m) anchor chain in lieu of 165ft (50m) chain  B5-9916 Anchor bridle, shackles and hook  B16-9918 Anchor bridle, shackles and hook  B16-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  B5-9940 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning	R5-8901		33 075		
B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flydroge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-863635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flydroge, flybridge flydroge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-863635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flydroge, flydroge, flybridge, flybri	B5-8910 Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White can only be ordered with B5-8630 / B5-8635   Composite teak decking (Colour: Weathered with White can only be ordered with B5-8630 / B5-8635 / B5-8635   Composite teak decking (Colour: Weathered with White can only be ordered with B5-8630 / B5-8635 / B5-8635 / B5-8905   S5bl (25kg) Belta anchor c/w 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S6-9915   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S1bl (25kg) Billow anchor chain in lieu of 165ft (50m) chain   S1bl (25kg)	D3-0901	1 0 1 7	33 973		
flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, fwd cockpit, flybridge, flybr	flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635  Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybrid					
B5-8911   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635	B5-8911   Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635   S6835   S58635   S586355   S5863	B5-8910	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	37 372		
B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    GENERAL EQUIPMENT	B5-8911 Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    GENERAL EQUIPMENT					
flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    GENERAL EQUIPMENT   55lb (25kg) Delta anchor c/w 165ft (50m) chain   55lb (25kg) Delta anchor c/w 165ft (50m) galvanised chain   3 131   55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain   3 131   55lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp   1 155   51lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) chain   1 155   51lb (16kg) Britany anchor chain in lieu of 165ft (50m) chain   616 x   616	flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635    GENERAL EQUIPMENT   55lb (25kg) Delta anchor c/w 165ft (50m) chain   55lb (25kg) Delta anchor c/w 165ft (50m) galvanised chain   3 131   55-9905   55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain   3 131   55-9914   35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp   1 155   55-9914   230ft (70m) anchor chain in lieu of 165ft (50m) chain   616 x   611   616 x   611   616 x   611   616 x   616	B5-8911		37 372		
B5-9903	B5-9903					
B5-9903 55lb (25kg) Delta anchor c/w 165ft (50m) chain B5-9905 55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain B5-9911 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp B5-9914 230ft (70m) anchor chain in lieu of 165ft (50m) chain B5-9915 330ft (100m) anchor chain in lieu of 165ft (50m) chain B5-9918 Anchor bridle, shackles and hook B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification. USCG Safety Package including 8 man life raft, U-bolts and tie downs CE Safety Package including 8 man life raft, U-bolts and tie downs Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Water Delivery * Post delivery commissioning	B5-9903   55lb (25kg) Delta anchor c/w 165ft (50m) chain   1 997   x   1 997   B5-9905   55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain   3 131     3131     3131     35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp   1 155		8635			
B5-9905	B5-9905					
B5-9911 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp  B5-9914 230ft (70m) anchor chain in lieu of 165ft (50m) chain  B5-9915 330ft (100m) anchor chain in lieu of 165ft (50m) chain  B5-9918 Anchor bridle, shackles and hook  B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051)  B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  35lb (10m) anchor chain in lieu of 165ft (50m) chain  1407	B5-9911 35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp  B5-9914 230ft (70m) anchor chain in lieu of 165ft (50m) chain  B5-9915 330ft (100m) anchor chain in lieu of 165ft (50m) chain  B5-9918 Anchor bridle, shackles and hook  B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051)  B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning				х	1 997
B5-9914 B5-9915 B5-9915 B5-9918 B5-9918 B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051	B5-9914 B5-9915 B5-9918 B5-9918 B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051) B5-9930 B5-9930 Bornal Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 1051) B5-9950 COMMISSIONING & DELIVERY  B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification. USCG Safety Package including 8 man life raft, U-bolts and tie downs CE Safety Package including 8 man life raft, U-bolts and tie downs Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Water Delivery* Post delivery commissioning   Can block (50m) chain  1 407  1 407  1 1051  1 051  1 051  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  2 5617  3 228  5 504  5 504  5 504  6 2 537  Post delivery commissioning					
B5-9915 B5-9918 Anchor bridle, shackles and hook B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1051	B5-9915 B5-9918 Anchor bridle, shackles and hook B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 1 051				х	616
B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 10m) x Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)    COMMISSIONING & DELIVERY	B5-9920 Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m)    COMMISSIONING & DELIVERY   1 051 x 1 055	B5-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 407		
B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Back fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  1 051	B5-9930 Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)  COMMISSIONING & DELIVERY  Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  B5-9950 1 1051 x 1055 x 105				Х	558
B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  CEMMISSIONING & DELIVERY  25 617  25 617  25 617  25 617  25 617  25 617  25 617  25 617  25 617  25 617  25 617  26 617  27 617  28 617  29 617  20 617  20 617  21 829  22 617  23 228  24 617  25 617  26 617  27 617  28 617  28 617  29 617  20 617  20 617  20 617  21 829  22 617  23 228  24 617  25 617  26 617  27 617  28 617  29 617  20 617  20 617  20 617  20 617  21 829  22 617  23 228  24 617  25 617  26 617  27 617  28 617  29 617  20 617  20 617  20 617  21 829  22 617  23 228  24 617  25 617  26 617  27 617  28 617  29 617  20 617  20 617  21 829  22 617  23 617  24 617  25 617  26 617  27 617  28 617  29 617  20 61	B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  COMMISSIONING & DELIVERY  25 617  x 25 617  x 25 617  x 25 617  5 501  x 25 617  x 25 617  x 25 617  25 617  x 25 617  25 617  x 25 617  26 617  x 25 617  x 25 617  27 617  28 29 8				v	1 051
B5-9950 Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Transport, documentation and commissioning package: includes anti-fouling paint, transport to 25 617 x 25 617  X 25 617 x 25 617  X 25 617 x 25 617	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Transport, documentation and commissioning package: includes anti-fouling paint, transport to 25 617 x 25 61°  A 25 61°  S 5 61°  S 6 6 7 x 2 5 61°  S 25	<b>DO</b> 33300	Black forders (o), black mooning lines (4, 10mm x 10m), black spring lines (2, 10mm x 10m)	1 001	_ ^ _	1 001
Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certification.  3 228  5 504  5 504  5 501  Water Delivery *  Post delivery commissioning	Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate  B5-AUS2  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery*  Post delivery commissioning  Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certification.  3 228  5 054  5 501  62 537  Post delivery commissioning	DE 0050		05.047	,, I	05.047
RCYC & CE certificate  B5-AUS2  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  RCYC & CE certificate  3 228  5 054  5 864 x 5 864  5 501  62 537  12 829 x 12 829	RCYC & CE certificate  B5-AUS2  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery*  Post delivery commissioning  RCYC & CE certificate  3 228  5 054  5 501  62 537  Post delivery commissioning	B5-9950		25 617	X	25 617
B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  3 228  5 054  5 864 x 5 864  5 501  62 537  12 829 x 12 829	B5-AUS2 AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  USCG Safety Package including 8 man life raft, U-bolts and tie downs  CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.  3 228  5 054  5 864 x 5 866  6 2 537  12 829 x 12 829					
CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  S 864 x 5 864  5 501  5 864 x 5 864  5 501  1 2 829 x 12 829	CE Safety Package including 8 man life raft, U-bolts and tie downs  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  S 864 x 5 866  5 501  62 537  12 829 x 12 829	B5-AUS2		3 228		
Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  5 501  62 537  12 829 x 12 829	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A  Water Delivery *  Post delivery commissioning  Solution 5501  62 537  12 829 x 12 829					
Water Delivery *         62 537           Post delivery commissioning         12 829 x         12 829	Water Delivery *         62 537           Post delivery commissioning         12 829 x         12 829 x				Х	5 864
Post delivery commissioning 12 829 x 12 829	Post delivery commissioning 12 829 x 12 829				$\vdash$	
					х	12 829
			Freight Delivery *			
<del>                                     </del>			-		$\vdash$	
			<u> </u>		$\vdash$	

		EURO
Total Options		341 816
Total Purchase Price (ex-tax)		1 550 816
Exceptional Rebate		276 649
Total Purchase Price after Rebate (ex-tax)		1 274 167
Total Purchase Price including Tax		1 529 000
Purchaser	Date	
Purchaser	Date	
<u>Dealer</u>	Date	

<sup>\*</sup>In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer. Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT



#### **MAIN SPECIFICATIONS**

Length overall Length overall (including Platform) Beam max	. 53'1" / 16.19m
Draft (half load)  Bridgedeck Clearance (half load)  Overall Height above Water Line, including Nav Light Pole (Half load)	. 2'7" / 0.79m
Saloon Living Area	259.2sqft / 24sqm
Displacement (Light ship)	
Fresh water capacity.  Fuel capacity.  Holding tank capacity.	. 562gal / 2130l
Engine Option.  Maximum Speed in Light Ship Conditions in knots.  Cruising Speed in Light Ship Conditions in knots.  Maximum Range Speed in Full Load Conditions in knots.  Maximum Range Speed (one engine) in Full Load Conditions in nautical miles.  Range at Max Speed in nautical miles.  Range at Cruising Speed in nautical miles.  Maximum Range in nautical miles.  Maximum Range (one engine) in nautical miles.	. 25 . 17,5 . 7,9 . 6,8 . 342 . 463 . 1330
Engine Max Power Engine Number of Cylinders Note: Speed and range figures can vary depending on measurement conditions and fuel quality.	•

#### STANDARD BOAT EQUIPMENT LIST

#### SALOON

Laminate finishes with solid wood trims

Folding saloon table with two fixed legs

Settee - L-shape

Settee - two seater

Wear resistant laminate flooring

LED overhead lighting

Stowage space under stbd settee cushions

Front doorway access to foredeck

#### **GALLEY**

Staron galley worktop surfaces

Single lever mixer faucet with pull out sprayer

Single s/s sink

Dish and cutlery drying recess with drainage

Double door domestic fridge

4-burner hob

Convection microwave oven

Gas solenoid shut-off valve with control at switch panel & warning light at cooker

Gas detectors in each hull connected to alarm in saloon

Gas cylinder regulator in dedicated LPG locker

Separate garbage bin locker

Stowage space in shelf lockers

Spice rack

4 x Galley drawers

2 x Pot storage drawer below oven

1 x Large overhead storage locker

Smoke detector / alarm

### **INTERNAL HELM**

Internal Helm Console - Includes steering and engine controls

LED overhead lighting

Helm seat c/w backrest integrated with starboard sofa

## **CABINS x 4 (4 CABIN VERSION)**

Laminate finishes

Queen size berth (2025mm x 1720mm or 80" x 68")

Bedside tables

Headboard

Hanging locker with lower shelf

LED overhead lighting

LED reading lamps

Overhead roller blinds for privacy

Large open shelves

Stowage drawers under bunk

Large hull window incorporating portlight and pleated blind

Transom windows with pleated blind (aft cabins only) Carbon monoxide detector / alarm

#### **OWNER CABIN (3 CABIN VERSION)**

Laminate finishes

Queen size berth (2025mm x 1720mm or 80" x 68")

Bedside tables

Headboard

Large double door wardrobe

Vanity table/desk with drawers under

Bookshelf with oddment stowage

Sliding entrance door with lock

LED reading lamps

Carbon monoxide detector / alarm

#### **HEADS COMPARTMENTS x 4 (4 CABIN VERSION)**

Washbasin with basin mixer and Staron top

Vanity locker with mirror

Towel hook and rail

Shower area c/w lever mixer and adjustable shower rose

Shower sump with automatic drainage

LED Overhead lighting

Overhead roller blinds for privacy

Electric sea water flush toilet

#### OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top

Vanity locker with mirror

Towel hook and rail

Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower

Shower sump with automatic drainage

LED Overhead lighting

Electric sea water flush toilet

#### **ENGINE & CONTROLS**

Double lever throttle / gearshift control

Sound deadening panels in engine room

- 2 x Engine room ventilation fans and ducting
- 2 x Yanmar 370HP diesel engines
- 2 x Propellers 4-blade fixed
- 2 x Fuel deck fillers
- 2 x Fuel filter / water separators
- 2 x Composite fuel tanks 562USgal / 2130Ltr total capacity
- 2 x Exhaust skin fittings (s/s)
- 2 x Exhaust water locks
- 2 x Cooling water inlet strainers
- 2 x Exhaust cooling water temperature sensors with audible alarms at helm
- 2 x Moisture eliminating grilles

#### **DECK FITTINGS**

Guard railing (s/s)

2 x Pushpits (s/s)

2 x Pulpit seats (port & stbd)

1600w vertical windlass 10mm gypsy c/w hand held remote

Anchor bow roller fitting for primary anchor

Anchor bow roller fitting for secondary anchor

Anchor chain stopper

1 x Chain locker

1 x Anchor/windlass locker

2 x Foredeck lockers

Gas cylinder locker

Sliding companionway door

Hardtop over aft cockpit

L-shaped settee in aft cockpit with cushions and bolster

Sunbed in aft cockpit with cushions and bolster

Table in aft cockpit

Swimming ladder

Acrylic smoke grey tinted windows

Hatches:

2 x Size 44 Flush Hatch over cabins

2 x Size 60 Flush Hatch on foredeck (vented)

Portlights:

10 x Size 1 in hull side and transom

Foredeck lounging area

c/w watertight saloon access door and

2 x fwd facing sun loungers 4 x Drinks holders in forward cockpit

2 x Drinks holders in aft cockpit

2 x Coachroof handrails (s/s)

2 x Aft hardtop grab handles (s/s) 1 x 330mm mooring cleat in anchor locker

10 x 300mm s/s mooring cleats

2 x Teak folding deck chairs

#### **FLYBRIDGE**

Helm station console

Staircase from aft cockpit to flybridge with LED courtesy lighting

U-shaped upholstered settee

Sunbed with mattress facing aft

Wetbar unit with sink and faucet and GRP worktop

Life raft locker

Stowage locker in wetbar

Central fixed cocktail table with drink holder recess

Guard railing around aft section of flybridge (s/s) Acrylic windscreen around fwd section of flybridge

Hardtop over flybridge

Hardtop supports

Overhead lighting

2 x Pop-up lights

3 x Drinks holders

# **ELECTRICAL INSTALLATION**

LED Courtesy lights at stairways

LED Bi-colour & stern navlights 12v DC switch panel

- 1 x 12v outlet sockets at helm station
- 2 x Double USB sockets at helm station
- 1 x Double USB socket in saloon
- 2 x Double USB sockets at nav desk
- 1 x Double USB socket in each cabin
- 4 x House batteries 180Ah deep cycle lead acid type
- 4 x Engine starter batteries 100Ah AGM type
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders
- 1 x Electric fog horn with control at helm station

Digital monitoring including

1 x Axiom 7" Multifunction Display at helm for digital systems monitoring

3000W 110V Inverter for convection microwave oven

1200W 220V Inverter for refrigerator

#### PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

- 2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges
- 2 x Fresh water pressure pump with accumulator tank
- 2 x Hot water cylinders 12USgal / 46ltr total capacity

Transom shower (cold only)

4 x Automatic shower drain pumps (3 for 3-cabin layout)

Holding tanks, 45USgal / 170ltr total capacity

- 2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
- 2 x Manual bilge pumps
- 2 x High water bilge float switches with alarm at switch panel
- 2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel Freshwater connection

Seagull IV-X-2B water purification system supplying refrigerator

## **RUDDER & STEERING SYSTEM**

Balanced spade rudders in stainless steel Rudder stock in stainless steel Bearings with fibreglass rudder tube Hydraulic steering system Soft-grip steering wheel

### **NAVIGATION EQUIPMENT**

Compass at helm position

#### **GENERAL EQUIPMENT**

6 x Fire extinguishers Automatic Extinguishing system for engine rooms Owner's Operating Manual CE Certification NMMA Certification