

2025 Base Price & Option List

Purchaser	Suggested Package 2025		GBP
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	849 000
	DESTINATION	St Raphael, South of France	
	NUMBER OF CABINS	3	
INTERIOR			
B8-1001	Upholstery Pack 1 – Faux Leather "Milk"	0	x
B8-1003	Upholstery Pack 2 – Faux Leather "Artesian"	0	
B8-1005	Upholstery Pack 3 – Sunbrella "Pebble"	435	x 435
B8-1006	Upholstery Pack 4 – Sunbrella "Stone"	435	
B8-1007	Upholstery Pack 5 – Sunbrella "Dune"	435	
B8-10MM	Upholstery Pack 6 - Silvertex "Macadamia"	435	
B8-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	3 509	
B8-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 509	
B8-1015	Carpets in main saloon for standard dining table. Excludes galley area. Cannot be taken with option B8-1016, B8-1760, B8-1770	1 042	
B8-1016	Carpets in main saloon for optional coffee table. Excludes galley area. Cannot be taken with option B8-1015, B8-1770	1 042	
B8-1300	Full length mirrors for 4-Cabin Layout (4)	1 382	
B8-1301	Full length mirrors for 3-Cabin Layout (3)	1 038	
B8-1400	Safe with digital combination lock	425	
B8-1600	Interior saloon blinds - front & side windows	6 863	
B8-1760	Coffee table in lieu of standard folding saloon table	0	
B8-1770	Settee converts into fold out bunk, in lieu of storage locker	965	x 965
B8-1900	Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice	560	x 560
ENGINES & DRIVE			
B8-2000	Yanmar 320hp engines in lieu of std 250hp engines	7 108	x 7 108
B8-2001	Yanmar 370hp engines in lieu of std 250hp engines	18 895	
B8-2500	Bow thruster - Fix tunnel thruster in port bow. Comes with bow thruster controller at Flybridge Helm	12 585	x 12 585
B8-2505	Additional bow thruster controller at Internal Helm (Requires B8-2500). Not to be ordered with option B8-2510, B8-2515	648	x 648
B8-2510	Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control (Requires B8-2500). Bow thruster controller from option B8-2500 to be installed at Internal Helm instead of Flybridge helm. Not to be ordered with option B8-2505, B8-2515	8 261	
B8-2515	Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow Thruster control (Requires B8-2500). Bow thruster controller from option B8-2500 will not be installed on boat. Not to be ordered with option B8-2505, B8-2510	13 434	
NAVIGATION & ELECTRONICS			
B8-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd cockpit (1), aft cockpit (1) & flybridge (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelessly to Raymarine MFD via the Raymarine APP) can control system	4 635	x 4 635
B8-33MM	Raymarine Base Pack: Includes Ray 73 VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, 2 x AXIOM12 Multifunction displays in lieu of AXIOM7 Multifunction display at Helmstation c/w retractable depth transducer	13 663	
B8-3304	Raymarine Base Pack: Includes VHF (Multizone with AIS receiver) at internal helm & additional VHF handset at flybridge helm, p70Rs autopilot display at internal and p70s autopilot display at flybridge helm, AXIOM XL16 15,6" Glass Bridge Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	16 993	x 16 993
B8-3310	Additional AXIOM XL16 15,6" Glass Bridge Multifunction display with WiFi at flybridge helm (Requires Base Pack. Not to be ordered with B8-3311/12)	9 031	x 9 031
B8-3311	AXIOM XL19 Multifunction display with WiFi at flybridge helm in lieu of an AXIOM XL16 15,6" Glass Bridge Multifunction display in option B8-3304 - Base pack. (Requires base pack, should not be	5 887	
B8-3312	Additional AXIOM XL19 18,5" Glass Bridge Multifunction display with WiFi at flybridge helm (Requires Base Pack. Should only be ordered with B8-3311. Not to be ordered with B8-3310)	14 662	
B8-3313	AXIOM12 Multifunction display at internal helm. (Requires Base Pack). Not to be ordered with B8-3346. (B8-3346 comes with an upgraded RV (Real Vision) AXIOM12 MFD which fulfils the functions of this option)	5 186	x 5 186
B8-3335	Autopilot Wireless remote smart controller at internal helm (Requires Base Pack)	1 330	
B8-3341	Digital Radar: Includes digital solid state wireless 24nm 18" Radome scanner (Requires Base Pack)	3 798	
B8-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance detection (Requires Base Pack)	5 908	
B8-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV	7 094	
B8-3370	Rear-view Raymarine camera (1) (Requires base pack)	980	x 980
B8-3371	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 146	x 1 146
B8-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	2 762	x 2 762
ELECTRICAL			
B8-41MM	110V Hard wired shore power pack: Includes 2 heavy duty 50ft 30amp shore power lines, AC switch panel, 110V 5000W inverter/charger (in lieu of standard 3000W inverter), Battery management system allowing monitoring on Multifunction display. AC outlets in cabins, saloon and galley	12 016	

B8-4100	110V Shore power pack: Includes 2 x 30A port and 2 x 30A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, 5000W inverter/charger (in lieu of standard 3000W inverter), Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley	14 419		
B8-4110	220V Shore power pack: Includes 2 x 16A port and 2 x 16A stbd shore power inlets with 2 x heavy duty 50ft shore powerlines, AC switch panel, 220V 5000W inverter/charger (in lieu of standard 3000W inverter), Hot water cylinder and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley	14 419	x	14 419
B8-4130	Digital Switching (110V boats). Includes 1 x AXIOM12 Multifunction display at internal helm. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries. all fluid levels. and critical Alarms. (Requires Base Pack)	14 513		
B8-4140	Digital Switching (220V boats). Includes 1 x AXIOM12 Multifunction display at internal helm. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries. all fluid levels. and critical Alarms. (Requires Base Pack)	13 546		
B8-42MM	220V Hard wired shore power pack: Includes 2 heavy duty 50ft 30amp shore power lines, AC switch panel, 220V 5000W inverter/charger (in lieu of standard 3000W inverter), Hot water cylinder and Convection microwave voltage conversion to 220V, Battery management system allowing monitoring on Multifunction display, AC outlets in cabins, saloon and galley	11 215		
B8-4200	Shaver outlets in heads, 110V with GFI protection—(4) (Only for boats with 110V systems)	1 156		
B8-4201	Shaver outlets in heads, 110V with GFI protection for 3 cabin layout — (3) (Only for boats with 110V systems)	866		
B8-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection for 4 cabin layout—(4) (Only for boats with 220V systems)	1 432		
B8-4211	Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin layout—(3) (Only for boats with 220V systems)	1 084		
B8-4500	Upgrade std Lead Acid house batteries to AGM batteries. Recommended with shore power (B8-4100/4110, B8-41MM/42MM)	3 111	x	3 111
B8-4510	One additional AGM house battery (210Ah) 5 Total. (Requires B8-4500)	1 146		
B8-4515	Two additional AGM house batteries (210Ah) 6 Total. (Requires B8-4500)	2 821		
B8-4525	Four additional AGM house batteries (210Ah) 8 Total. (Requires B8-4500)	4 813	x	4 813
B8-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B8-5750)	223	x	223
B8-4560	Lithium Ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah Lithium Ion batteries (LiFePO4). (Only for boats with shore power (B8-4100/4110, B8-41MM/42MM) or genset options (B8-5210/5211/ 5225/5230). Recommend taking option B8-5750 with this option. Not to be ordered with B8-4500)	23 065		
B8-4602	Ventilation fans in cabins only for 4 cabin layout (4)	665		
B8-4603	Ventilation fans in cabins only for 3 cabin layout (3)	496		
B8-5211	Genset - Northern Lights 12kW (60 Hz 110V) / 10kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only for boats with shore power (B8-4100/4110, B8-41MM/42MM)	39 392		
B8-5212	Genset - Northern Lights 9kW non USA only (60 Hz 110V) / 7kW (50Hz 220V) supplied from port fuel tank, fuel transfer ability from stbd to port tank. Analogue control panel without Auto Start/stop function. Only for boats with shore power.	33 320		
B8-5220	Provision for 9kW and 12kW genset (includes fuel supply, ventilation blower, auxiliary fuel/water pumps, light, exhaust & cooling water systems with through hull fittings. Excludes genset unit & control panel, battery & AC wiring).	7 074	x	7 074
B8-5250	Air-conditioning System - (2) 16 000 BTU 110V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B8-4100/41MM) or genset options (B8-5210/5211/5225/5230)	21 088		
B8-5255	Air-conditioning System - (2) 16 000 BTU 220V with sound enclosures, soft start technology and control panels. Only for boats with shore power (B8-4110/42MM) or genset options (B8-5210/5211/5225/5230)	21 088	x	21 088
B8-5260	Provision for Air-conditioning System (2 x 16 000 BTU - 110V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls (excludes wiring to pump, aircon and control locations)	6 842		
B8-5265	Provision for Air-conditioning System (2 x 16 000 BTU 220V) - Includes ducting, air vents and cooling water system with through hull fittings, but excludes aircon units and controls. (Excludes wiring to pump, aircon and control locations)	6 842		
B8-5615	Motorized TV lift in saloon – For TVs no larger than 40 inches. Requires shore power options (B8-4100/4110, B8-41MM/42MM)	2 165		
B8-5616	Motorized TV lift in saloon – For TVs between 40 to 50 inches. Requires shore power options (B8-4100/4110, B8-41MM/42MM)	2 362	x	2 362
B8-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet. Requires shore power options (B8-4100, B8-4110, B8-41MM, B8-42MM)	504	x	504
B8-5684	Provision for TV in all cabins (4-cabin layout only) - swing bracket & AC outlet. Requires shore power options (B8-4100/4110, B8-41MM/42MM)	2 005		
B8-5685	Provision for TV in all cabins (3-cabin layout only) - swing bracket & AC outlet. Requires shore power options (B8-4100/4110, B8-41MM/42MM)	1 504		
B8-5739	Solar panels 400w each fitted to hard top - (2)	5 472		
B8-5740	Solar panels 400w each fitted to hard top - (4)	10 783		
B8-5741	Solar panels 400w each fitted to hard top - (6)	16 178		
B8-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to house batteries (Not to be ordered with option B8-4550)	1 995		
B8-5800	Underwater Lights - 2 x Blue mounted in stern	4 314		

PLUMBING

B8-6150	Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 3 cabin layout	873	x	873
B8-6151	Electric Toilets - salt and fresh water flush: Sanimarin in lieu of electric salt water flushing toilets for 4 cabin layout	1 164		
B8-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	470	x	470
B8-6520	Watermaker: H2O ECO 400GPD Sea Recovery 63 ltr/ 17 Usqal per hr, 12V	19 449		
B8-6525	Watermaker: H2O ECO 600GPD Sea Recovery 95 ltr/ 25 Usqal per hr, 12V	21 707		
B8-6600	Washer/dryer (110V) installed in Port corridor. Only for boats with shore power (B8-4100/41MM) or genset options (B8-5210/5211/5225/5230)	3 451		
B8-6610	Washer/dryer (220V) installed in Port corridor. Only for boats with shore power (B8-4110, B8-42MM) or genset options (B8-5210/5211/5225/5230)	3 451	x	3 451

B8-6700	110V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8-6710	2 592		
B8-6710	220V Dishwasher in Galley in lieu of port drawer. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8-6700	3 453	x	3 453
B8-6800	Deck wash fitting & pump - triple wash - dual fresh/salt water system on foredeck and fresh water	1 106	x	1 106
B8-6850	Stern shower: Hot/cold water in lieu of cold only	315	x	315

HEATING, REFRIGERATION & GAS

B8-7711	Refrigerator in Flybridge Wetbar - 12V.	2 071	x	2 071
B8-7715	Two plate electric induction cooktop (110V) in lieu of 4-burner LPG cooktop and complete LPG system. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8-7720. Battery upgrades recommended with this option (Min B8-4515. recommended B8-4525/4560)	0		
B8-7720	Two plate electric induction cooktop (220V) in lieu of 4-burner LPG cooktop and complete LPG system. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8-7715. Battery upgrades recommended with this option (Min B8-4515. recommended B8-4525/4560)	0	x	0
B8-7730	Single Element Electric Grill: 110V on Flybridge Wetbar. Only for boats with shore power options (B8-4100, B8-41MM). Not to be ordered with option B8-7731. Battery upgrades recommended with this option (Min B8-4515. Recommended B8-4525 or B8-4560)	1 643		
B8-7731	Single Element Electric Grill: 220V on Flybridge Wetbar. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8-7730. Battery upgrades recommended with this option (Min B8-4515. Recommended B8-4525/4560)	1 643	x	1 643
B8-7740	Wine cooler (110V) in galley. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8-7741/7755/7756/7758/7760	6 272		
B8-7741	Wine cooler (220V) in galley. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8-7740/7755/7756/7758/7760	5 905		
B8-7752	Icemaker (110V) installed in flybridge wetbar. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with option B8-7753	2 937		
B8-7753	Icemaker (220V) installed in flybridge wetbar. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with option B8-7752	2 937		
B8-7755	Icemaker (110V) installed in galley. Only for boats with shore power options (B8-4100/41MM). Not to be ordered with B8-7756/7740/7741/7758/7760	2 937		
B8-7756	Icemaker (220V) installed in galley. Only for boats with shore power options (B8-4110/42MM). Not to be ordered with B8-7755/7740/7741/7758/7760	2 937		
B8-7761	All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be ordered	3 041	x	3 041

DECK & HULL

B8-8001	Exterior Pack 1 – Standard Charcoal (Grey)	0	x	0
B8-8002	Exterior Pack 2 – Captain's Navy (Blue)	0		
B8-8110	Flybridge enclosure front and sides only with aft sunshade curtain	11 907	x	11 907
B8-8120	Aft cockpit back shade curtains only	1 586		
B8-8315	Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging cushions	1 828		
B8-8360	S/S Flag pole holder (2)	448		
B8-8370	S/S Rod holders (4)	893		
B8-8400	S/S dive bottle rack - holds 3 bottles	816		
B8-8410	S/S dive bottle racks (2) - holds 6 bottles total	1 449		
B8-8600	Custom S/S davit system with tackle c/w electric winch	5 552		
B8-8630	Winch type Lifting Platform with Folding Chocks	47 365	x	47 365
B8-8635	Winch type Lifting Platform with Fixed Chocks	47 365		
B8-8700	Aft Coaming steps; Port & STBD	843		
B8-8800	Teak aft cockpit table in lieu of standard GRP table	4 589		
B8-8810	Teak flybridge table in lieu of standard GRP table	6 221		
B8-8900	Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd. cockpit, flybridge, flybridge steps, transom steps - not to be ordered with B8-8630, B8-8635	27 923		
B8-8901	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit, flybridge, flybridge steps, transom steps - not to be ordered with B8-8630, B8-8635	27 923		
B8-8910	Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd. cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B8-8630, B8-8635	30 711		
B8-8911	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd. cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B8-8630, B8-8635	30 711		

GENERAL EQUIPMENT

B8-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 640	x	1 640
B8-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 572		
B8-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	951		
B8-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	506	x	506
B8-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 156		
B8-9918	Anchor bridle, shackles and hook	458	x	458
B8-9920	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x 15m)	865		
B8-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	865	x	865

COMMISSIONING & DELIVERY

B8-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbour, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	21 053	x	21 053
B8-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 028		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	3 803		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	4 413	x	4 413
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Waterfront	3 571		
	Water Delivery *	52 346		
	Post delivery commissioning	7 015	x	7 015
	Freight Delivery *	47 407	x	47 407

GBP

Total Options	275 679
Total Purchase Price (ex-tax)	1 124 679

Exceptional Rebate

205 679

Total Purchase Price after Rebate (ex-tax)

919 000

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

MAIN SPECIFICATIONS

Length overall.....	46'4" / 14.13m
Length overall (including Platform).....	47'5" / 14.44m
Length Waterline.....	46'2" / 14.06m
Beam max.....	24'1" / 7.34m
Draft (half load).....	3'1" / 0.94m
Bridgedeck Clearance (half load).....	2'6" / 0.75m
Overall Height above Water Line, including Nav Light Pole (Half load).....	18'6" / 5.64m
Saloon Living Area.....	237.6sqft / 22sqm
Displacement (Light ship).....	36,945lbs / 16,758kg
Load carrying capacity.....	10,679lbs / 4,844kg
Fresh water capacity.....	185gal / 700l
Fuel capacity.....	475gal / 1800l
Holding tank capacity.....	42gal / 160l
Standard Engine.....	Yanmar 4LV250
Engine Max Power.....	250hp
Engine Number of Cylinders.....	4

Note: Speed and range figures can vary depending on measurement conditions and fuel quality.

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finishes with solid wood trims
 Folding saloon table with two fixed legs
 Settee - L-shape
 Sofa on starboard
 Wear resistant laminate flooring
 LED overhead lighting
 Stowage space under stbd settee cushions
 Front doorway access to foredeck

GALLEY

Staron galley worktop surfaces
 Single lever mixer faucet with pull out sprayer
 Single s/s sink
 Dish and cutlery drying recess with drainage
 Double door domestic fridge with icemaker
 4-burner hob
 Convection microwave oven
 Gas solenoid shut-off valve with control at switch panel & warning light at cooker
 Gas detectors in each hull connected to alarm in saloon
 Gas cylinder regulator in dedicated LPG locker
 Separate garbage bin locker
 Stowage space in shelf lockers
 Spice rack
 4 x Galley drawers
 1 x Pot storage drawers
 Smoke detector / alarm
 Carbon monoxide detector / alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls
 LED overhead lighting
 Helm seat c/w backrest integrated with starboard sofa

CABINS x 4 (4 CABIN VERSION)

Laminate finishes
 Queen size berth (2025mm x 1720mm or 80" x 68")
 Bedside tables
 Headboard
 Hanging locker with lower shelf
 LED overhead lighting
 LED reading lamps
 Overhead roller blinds for privacy
 Large open shelves
 Stowage drawers under bunk
 Large hull window incorporating portlight and slatted blind
 Transom windows with slatted blind (aft cabins only)
 Carbon monoxide detector / alarm

OWNER CABIN (3 CABIN VERSION)

Laminate finishes
Queen size berth (2025mm x 1720mm or 80" x 68")
Bedside tables
Headboard
Large double door wardrobe
Vanity table/desk with drawers under
Sliding entrance door with lock
LED reading lamps
Carbon monoxide detector / alarm
Large hull window incorporating portlight and slatted blind
Transom windows with slatted blind

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top
Vanity locker with mirror
Towel rail
Shower area c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage
LED Overhead lighting
Overhead roller blinds for privacy
Hull window with slatted blind
Electric Toilets - salt water flush

OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top
Mirror
Towel rail
Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage
LED Overhead lighting
Hull window with slatted blind
Electric Toilets - salt and water flush

ENGINE & CONTROLS

Double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 250HP diesel engines
2 x Propellers - 4-blade fixed
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Fuel tanks 489USgal / 1852Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm
2 x Moisture eliminating grilles

DECK FITTINGS

Guard railing (s/s)
2 x Pushpits (s/s)
2 x Pulpit seats (port & stbd)
2000w vertical windlass 10mm gypsy c/w hand held remote
Anchor bow roller fitting for primary anchor
Anchor bow roller fitting for secondary anchor
Anchor chain stopper
1 x Chain locker
1 x Anchor/windlass locker
2 x Foredeck lockers
Gas cylinder locker
Sliding companionway door
Hardtop over aft cockpit
U-shaped settee in aft cockpit with cushions and bolster
Table in aft cockpit
2 x Stainless Steel Directors chairs
Swimming ladder
Acrylic smoke grey tinted windows
Hatches:
2 x Size 60 Flush Hatch over cabins
Portlights:
8 x Size 1 in hull side
Foredeck lounging area
c/w watertight saloon access door and
2 x fwd facing sun loungers
4 x Drinks holders in forward cockpit
2 x Coachroof handrails (s/s)
2 x Aft hardtop grab handles (s/s)
1 x 300mm mooring cleat in anchor locker
10 x 300mm s/s mooring cleats

FLYBRIDGE

Helm station console - Includes steering and engine controls
Staircase from aft cockpit to flybridge with LED courtesy lighting
1 x Staircase stainless steel grab handle
U-shaped upholstered settee
Wetbar unit with sink and faucet and GRP worktop
Life raft locker
Stowage locker in wetbar
Central fixed cocktail table with drink holder recess

Guard railing around aft section of flybridge (s/s)
Acrylic windscreen around fwd section of flybridge
Hardtop over flybridge
Hardtop supports
Overhead lighting
Drinks holders
Sunbed aft of settee
Stowage beneath settee cushions
Forward facing lounge settee on port

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways
LED Bi-colour & stern navlights
12v DC switch panel
1 x 12v outlet sockets at helm station
1 x Double USB sockets at helm station
1 x Double USB sockets at nav desk
1 x Double USB socket in each cabin
1 x Wireless mobile phone charger in saloon
4 x House batteries - 180Ah deep cycle lead acid type
4 x Engine starter batteries - 100Ah AGM type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders
1 x Electric fog horn with control at helm station
Digital monitoring including
1 x Axiom 7" Multifunction Display at helm for digital systems monitoring
3000W 110V Inverter for convection microwave oven
1200W - 110V or 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges
2 x Fresh water pressure pump with accumulator tank
2 x Hot water cylinders, 13USgal / 50ltr total capacity
Transom shower (cold only)
4 x Automatic shower drain pumps (3 for 3-cabin layout)
Holding tanks, 45USgal / 170ltr total capacity
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps
2 x High water bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel
Freshwater connection
Water purifying filter system - Purifying water tap located at galley

RUDDER & STEERING SYSTEM

Balanced spade rudders in stainless steel
Rudder stock in stainless steel
Bearings with fibreglass rudder tube
Hydraulic steering system
Soft-grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers
Automatic Extinguishing system for engine rooms
Owner's Operating Manual
CE Certification NMMA Certification